

TOOLNEWS

FOR PROFESSIONALS

SPECIAL

AUTOMOTIVE SPECIAL TOOLS



4 PULLER TOOLS

18 ENGINE

54 CHASSIS | AXLES

WELCOME TO THE SW STAHL SPECIAL TOOL CATALOG FOR AUTOMOTIVE AND COMMERCIAL VEHICLE PROFESSIONALS!

CONTENTS:

PULLER TOOLS	PAGE 04 - 27
DIAGNOSTIC & TESTING EQUIPMENT	PAGE 28 - 31
ENGINE	PAGE 32 - 63
TRANSMISSION CLUTCH & EXHAUST SYSTEM	PAGE 64 - 67
CHASSIS AXLES	PAGE 68 - 77
BODYWORK	PAGE 78 - 87
SPRING COMPRESSOR	PAGE 90

10830 L SW
STAHL

PULLER TOOLS



UNIVERSAL PULLER, 2-JAW

- Drop forged
- Spindle with fine thread
- Interchangeable centring ball
- Can be used as an external or segmented internal extractor by moving the jaws
- Optionally available with different-length of jaws



UNIVERSAL PULLER, 2-JAW, NARROW JAWS

- Extra narrow jaws for working in tight spaces
- Drop forged
- Spindle with fine thread
- Interchangeable centring ball
- Can be used as an external or segmented internal extractor by moving the jaws
- Optionally available with different-length of jaws



Item	Spread external puller	Spread internal puller	Depth	Max. torque [Nm]	Max. load [t]	Spindle	Claw size	Claw depth	Claw width	Price
10820L	20 – 90	70 – 130	100	80	4,5	M14 x 1,5 x 130	3	13	20	63,50 €* 63,50 €*
10821L	25 – 130	80 – 180	100	80	4,5	M14 x 1,5 x 130	3	13	20	66,00 €* 66,00 €*
10822L	50 – 160	105 – 220	150	150	6,5	G1/2" – 14 x 210	4	16	25	108,50 €* 108,50 €*
10823L	60 – 200	120 – 270	150	150	6,5	G1/2" – 14 x 210	4	16	25	111,50 €* 111,50 €*
10824L	80 – 250	160 – 330	200	320	11	G3/4" – 14 x 280	5	25	35	204,90 €* 204,90 €*
10825L	80 – 350	160 – 420	200	320	11	G3/4" – 14 x 280	5	25	35	239,00 €* 239,00 €*
10826L	110 – 520	195 – 600	200	360	13	G3/4" – 14 x 280	5	25	35	334,90 €* 334,90 €*



Item	Spread external puller	Spread internal puller	Depth	Max. torque [Nm]	Max. load [t]	Spindle	Claw size	Claw depth	Claw width	Price
10830L	20 – 90	70 – 130	100	80	4,5	M14 x 1,5 x 130	3,6	8	28	84,90 €* 84,90 €*
10831L	25 – 130	80 – 180	100	80	4,5	M14 x 1,5 x 130	3,6	8	28	92,90 €* 92,90 €*

JAWS (2 PIECES)



Item	Suitable for	Jaw length	Claw size	Claw depth	Claw width	Price
10820L-100	10820L and 10821L	100	3	13	20	45,50 €* 45,50 €*
10820L-120	10820L and 10821L	120	3	13	20	61,50 €* 61,50 €*
10820L-200	10820L and 10821L	200	3	13	20	64,50 €* 64,50 €*
10820L-250	10820L and 10821L	250	3	13	20	85,50 €* 85,50 €*
10822L-150	10822L and 10823L	150	4	16	25	67,50 €* 67,50 €*
10822L-220	10822L and 10823L	220	4	16	25	74,00 €* 74,00 €*
10822L-300	10822L and 10823L	300	4	16	25	95,50 €* 95,50 €*
10824L-200	10824L, 10825L and 10826L	200	5	25	35	95,50 €* 95,50 €*
10824L-300	10824L, 10825L and 10826L	300	5	25	35	127,00 €* 127,00 €*
10824L-400	10824L, 10825L and 10826L	400	5	25	35	159,00 €* 159,00 €*
10824L-500	10824L, 10825L and 10826L	500	5	25	35	201,50 €* 201,50 €*

JAWS (2 PIECES)



Item	Suitable for	Jaw length	Claw size	Claw depth	Claw width	Price
10830L-100	10830L and 10831L	100	3,6	8	28	58,50 €* 58,50 €*
10830L-120	10830L and 10831L	120	3,6	8	28	59,90 €* 59,90 €*
10830L-200	10830L and 10831L	200	3,6	8	28	94,50 €* 94,50 €*
10830L-250	10830L and 10831L	250	3,6	8	28	108,50 €* 108,50 €*

UNIVERSAL PULLER, 2-JAW, WITH INTEGRATED JAW TENSIONER

Extremely narrow and sharp jaws for working in tight spaces. The integrated jaw tensioner reliably prevents the trigger claw from slipping off.




UNIVERSAL PULLER, 3-JAW

- Drop forged
- Spindle with fine thread
- Interchangeable centring ball
- Can be used as an external or segmented internal extractor by moving the jaws
- Optionally available with different-length of jaws



Item	Spread external puller	Depth	Max. torque [Nm]	Max. load [t]	Spindle	Claw size	Claw depth	Claw width	Price
10920L	20 – 90	100	90	5,5	M14 x 1,5 x 130	3	13	20	86,50 €* 86,50 €*
10921L	25 – 130	100	90	5,5	M14 x 1,5 x 130	3	13	20	87,00 €* 87,00 €*
10922L	50 – 160	150	180	7	G1/2" – 14 x 210	4	16	25	150,90 €* 150,90 €*
10923L	60 – 200	150	180	7	G1/2" – 14 x 210	4	16	25	159,00 €* 159,00 €*

JAWS (3 PIECES)



Item	Suitable for	Jaw length	Claw size	Claw depth	Claw width	Price
10920L-100	10920L and 10921L	100	3	13	20	68,50 €* 68,50 €*
10920L-120	10920L and 10921L	120	3	13	20	79,00 €* 79,00 €*
10920L-200	10920L and 10921L	200	3	13	20	96,50 €* 96,50 €*
10920L-250	10920L and 10921L	250	3	13	20	127,90 €* 127,90 €*
10922L-150	10922L and 10923L	150	4	16	25	93,90 €* 93,90 €*
10922L-220	10922L and 10923L	220	4	16	25	115,50 €* 115,50 €*
10922L-300	10922L and 10923L	300	4	16	25	180,50 €* 180,50 €*



Item	Spread external puller	Depth	Max. torque [Nm]	Max. load [t]	Spindle	Claw size	Claw depth	Claw width	Price
10835L	0 – 45	50	40	2,5	M12 x 90	2,5	5	26,5	140,50 €* 140,50 €*
10836L	0 – 50	50	25	1,5	M12 x 90	2,5	3	15	165,50 €* 165,50 €*

UNIVERSAL PULLER, 3-JAW, NARROW JAWS

- Extra narrow jaws for working in tight spaces
- Drop forged
- Spindle with fine thread
- Interchangeable centring ball
- Can be used as an external or segmented internal extractor by moving the jaws
- Optionally available with different-length of jaws



MINI PULLER WITH SWIVELING JAWS, 2-JAW

Perfect for extracting small parts.

Pullers with swiveling jaws are designed to automatically press the jaws onto the part to be removed.



Item	Spread	Depth	Max. torque [Nm]	Max. load [t]	Spindle	Claw size	Claw depth	Claw width	Price
10880L	10 - 60	40	18	1	M8 x 85	1	5	8	36,00 €* 36,00 €*
10881L	10 - 70	44 / 74	20	1,2	M8 x 85	1	5	8	38,00 €* 38,00 €*
10882L	10 - 90	84	24	2	M10 x 105	1,8	10	12	38,90 €* 38,90 €*

MINI PULLER WITH SWIVELING JAWS, 2-JAW, T-HANDLE

Perfect for extracting small parts.

The T-handle allows immediate use without further tools.

Pullers with swiveling jaws are designed to automatically press the jaws onto the part to be removed.



Item	Spread	Depth	Max. torque [Nm]	Max. load [t]	Spindle	Claw size	Claw depth	Claw width	Price
10883L	10 - 60	40	18	1	M8 x 85	1	5	8	36,00 €* 36,00 €*
10884L	10 - 70	44 / 74	20	1,2	M8 x 85	1	5	8	38,00 €* 38,00 €*
10885L	10 - 90	84	24	2	M10 x 105	1,8	10	12	38,90 €* 38,90 €*

JAWS (3 PIECES)



Item	Suitable for	Jaw length	Claw size	Claw depth	Claw width	Price
10931L-100	10931L	100	3,6	8	28	87,90 €* 87,90 €*
10931L-120	10931L	120	3,6	8	28	89,50 €* 89,50 €*
10931L-200	10931L	200	3,6	8	28	155,50 €* 155,50 €*
10931L-250	10931L	250	3,6	8	28	173,90 €* 173,90 €*
10932L-150	10932L and 10933L	150	5	7,5	40	127,00 €* 127,00 €*
10932L-220	10932L and 10933L	220	5	7,5	40	163,00 €* 163,00 €*
10932L-300	10932L and 10933L	300	5	7,5	40	212,00 €* 212,00 €*

PULLER WITH SWIVELING JAWS, 2-JAW

Pullers with swiveling jaws are designed to automatically press the jaws onto the part to be removed.

- Heavy-duty, drop forged
- Spindle with fine thread
- Interchangeable centring ball
- Fully adjustable jaws for different depths



Item	Spread	Depth	Max. torque [Nm]	Max. load [t]	Spindle	Claw size	Claw depth	Claw width	Price
10860L	20 – 170	130	50	3,5	M14 x 1,5 x 130	2	11	16	67,90 €*

PULLER WITH SWIVELING JAWS, 2-JAW, REINFORCED VERSION

Pullers with swiveling jaws are designed to automatically press the jaws onto the part to be removed.

- Heavy-duty
- Spindle with fine thread
- Interchangeable centring ball
- Fully adjustable jaws for different depths



Item	Spread	Depth	Max. torque [Nm]	Max. load [t]	Spindle	Claw size	Claw depth	Claw width	Price
10840L	20 – 200	150	50	3,5	M14 x 1,5 x 130	3	14	18	52,50 €*
10841L	35 – 250	220	60	4	M18 x 1,5 x 240	4	20	25	98,90 €*
10842L	50 – 300	250	120	6	G1/2" – 14 x 270	5	25	30	148,50 €*

MINI PULLER WITH SWIVELING JAWS, 3-JAW

Perfect for extracting small parts.

Pullers with swiveling jaws are designed to automatically press the jaws onto the part to be removed.



Item	Spread	Depth	Max. torque [Nm]	Max. load [t]	Spindle	Claw size	Claw depth	Claw width	Price
10980L	10 – 60	40	20	1,2	M8 x 85	1	5	8	44,50 €*
10981L	10 – 70	74	21	1,3	M8 x 85	1	5	8	51,50 €*
10982L	10 – 90	84	40	2,5	M10 x 105	1,8	10	12	56,50 €*

MINI PULLER WITH SWIVELING JAWS, 3-JAW, T-HANDLE

Perfect for extracting small parts.

The T-handle allows immediate use without further tools.

Pullers with swiveling jaws are designed to automatically press the jaws onto the part to be removed.



Item	Spread	Depth	Max. torque [Nm]	Max. load [t]	Spindle	Claw size	Claw depth	Claw width	Price
10983L	10 – 60	40	20	1,2	M8 x 85	1	5	8	44,50 €*
10984L	10 – 70	74	21	1,3	M8 x 85	1	5	8	51,50 €*
10985L	10 – 90	84	40	2,5	M10 x 105	1,8	10	12	56,50 €*

PULLER WITH SWIVELING JAWS, 3-JAW

Pullers with swiveling jaws are designed to automatically press the jaws onto the part to be removed.

- Heavy-duty, drop forged
- Spindle with fine thread
- Interchangeable centring ball
- Fully adjustable jaws for different depths



Item	Spread	Depth	Max. torque [Nm]	Max. load [t]	Spindle	Claw size	Claw depth	Claw width	Price
10960L	20 - 170	130	60	4	M14 x 1,5 x 130	2	11	16	52,90 €*

PULLER WITH SWIVELING JAWS, 3-JAW

Pullers with swiveling jaws are designed to automatically press the jaws onto the part to be removed.

- Jaws with double-sided hook
- With a narrow and a wide hook
- Heavy-duty, drop forged
- Spindle with fine thread
- Interchangeable centring ball



Item	Spread	Depth	Max. torque [Nm]	Max. load [t]	Spindle	Claw size	Claw depth	Claw width	Price
10970L	20 - 150	85	60	4	M14 x 1,5 x 130	2	9	12	49,90 €*
10971L	40 - 220	130	70	4,5	M18 x 1,5 x 240	4	11	21	63,50 €*

PULLER WITH SWIVELING JAWS, 3-JAW, REINFORCED VERSION

Pullers with swiveling jaws are designed to automatically press the jaws onto the part to be removed.

- Heavy-duty
- Spindle with fine thread
- Interchangeable centring ball
- Fully adjustable jaws for different depths



Item	Spread	Depth	Max. torque [Nm]	Max. load [t]	Spindle	Claw size	Claw depth	Claw width	Price
10940L	20 - 200	150	60	4	M14 x 1,5 x 130	3	14	18	61,50 €*
10941L	35 - 250	220	70	4,5	M18 x 1,5 x 240	4	20	25	79,50 €*
10942L	50 - 300	250	220	12	G1/2"-14 x 210	5	25	30	159,00 €*
10943L	50 - 350	350	220	12	G1/2"-14 x 210	5	25	30	175,90 €*
10944L	50 - 400	400	220	12	G1/2"-14 x 210	5	25	30	213,50 €*

SCISSOR ACTION PULLER, 2-JAW

The scissor design causes the jaws to automatically press onto the part to be removed.

- Extra narrow jaws for working in tight spaces
- Heavy-duty
- Fully adjustable jaws for different depths



Item	Spread	Depth	Max. torque [Nm]	Max. load [t]	Spindle	Claw size	Claw depth	Claw width	Price
10850L	6 - 100	70 / 85	25	1,5	M12 x 120	2,5	4,5	23	85,50 €*
10851L	10 - 140	85 / 120	60	3,5	M16 x 160	3,5	5	31	102,50 €*


SEGMENTED INTERNAL EXTRACTOR

For extracting ball bearings, bearing shells, bearing bushes and shaft seals.


- Various versions that cover all clamping ranges
- With large edges to prevent slipping
- Rolled spindle thread
- Only suitable for use with compatible slide hammer or counterstay



COUNTERSTAY FOR SEGMENTED INTERNAL EXTRACTOR




Item	Thread	Spread	Max. torque [Nm]	Spindle thread	Price
11624L	M10	35 – 75	30	M16 x 1,5 x 136	41,00 €*
11626L	M10 and G3/8"	60 – 130	60	M24 x 1,5 x 160	58,50 €*
11627L	G3/8"	60 – 130	60	M24 x 1,5 x 160	61,50 €*
11628L	G3/8"	55 – 205	100	G1/2" – 14 x 210	127,00 €*



Item	Spread	Depth	Compatible counterstays	Compatible slide hammers	Thread	Max. torque [Nm]	Price
11600L	5 – 7	30	11624L, 11625L	11619L, 11620L	M10	3	34,50 €*
11601L	7 – 9	30	11624L, 11625L	11619L, 11620L	M10	7	34,50 €*
11602L	10 – 13	30	11624L, 11625L	11619L, 11620L	M10	15	37,50 €*
11603L	14 – 19	60	11624L, 11625L	11619L, 11620L	M10	28	37,00 €*
11612L	15 – 20	60	11624L, 11625L	11619L, 11620L	M10	28	37,50 €*
11604L	20 – 25	60	11624L, 11625L	11620L, 11621L	M10	40	47,00 €*
11605L	25 – 30	60	11624L, 11625L	11620L, 11621L	M10	40	49,00 €*
11609L	25 – 40	45	11624L, 11625L, 11626L	11619L, 11620L, 11621L	M10	45	53,00 €*
11606L	30 – 37	70	11624L, 11625L, 11626L	11620L, 11621L	M10	45	57,50 €*
11607L	38 – 45	70	11624L, 11625L, 11626L	11620L, 11621L	M10	45	65,00 €*
11610L	40 – 75	100	11626L, 11627L, 11628L	11621L	G3/8"	45	95,50 €*
11608L	45 – 55	100	11626L, 11627L, 11628L	11621L	G3/8"	45	79,90 €*
11611L	70 – 115	130	11628L	11621L	G3/8"	45	143,50 €*

SLIDE HAMMER FOR SEGMENTED INTERNAL EXTRACTOR

If the space you are working in is too tight to use a counterstay, use a slide hammer.



Item	Thread	Weight slide hammer	Measurement guide	Price
11619L	M10	ø 30 x 40 / 0,2 kg	ø 10 x 170	31,50 €*
11620L	M10	ø 50 x 80 / 0,7 kg	ø 10 x 170	38,50 €*
11621L	M10 and G3/8"	ø 45 x 100 / 0,7 kg	ø 16 x 250	67,50 €*

SEPARATING DEVICE

For extracting flush-fitted components that cannot be extracted using an extractor hook.


- Forged
- Sharp edges
- Connection screws with rolled threads
- Only suitable for use with a compatible extractor



Item	Diameter	Extractor	Thread	Side screw	Price
11630L	5 – 60	11640L, 11641L	M12	M10 x 120	48,90 €*
11631L	12 – 75	11640L, 11641L	M12	M12 x 140	61,90 €*
11632L	22 – 115	11642L	M16	M16 x 180	88,90 €*
11633L	25 – 155	11643L	M20 x 1,5	M20 x 1,5 x 250	158,50 €*

EXTRACTOR FOR SEPARATING DEVICE

- Forged
- Spindle with fine thread
- Interchangeable centring ball



Item	Spread	Depth	Thread	Max. torque [Nm]	Max. load [t.]	Spindle thread	Price
11640L	40 – 115	150	M12	30	2	M14 x 1,5 x 130	47,90 €*
11641L	45 – 140	150	M12	40	2,5	M14 x 1,5 x 130	74,50 €*
11642L	55 – 205	210	M16	70	4	G1/2" – 14 x 210	120,90 €*
11643L	90 – 260	315	M20 x 1,5	90	5	G1/2" – 14 x 210	159,00 €*

ASSORTMENTS

10890L – PRODUCT DISPLAY UNIT FOR DISPLAYING UNIVERSAL PULLERS, 2-JAW

for clearly displaying pullers in salesrooms or at repair workshop sales counters.

Contents:

- 10820L Puller 20 – 90 mm
- 10821L Puller 25 – 130 mm
- 10822L Puller 50 – 160 mm
- 10823L Puller 60 – 200 mm
- 10824L Puller 80 – 250 mm
- Product display stand

5-piece

10890L 678,90 €*



11803L – EXTERNAL PULLER-SET, 2- AND 3-JAW, Ø 25 - 130 MM

The set is designed for removing rolling bearings, especially in confined spaces. The extremely slim trigger hooks are available in different lengths and can be used in both 2-arm and 3-arm

- Puller bridge 2-jaw, 25 – 130 mm
- Puller bridge 3-jaw, 25 – 130 mm
- Extra long pressure spindle with T-handle
- 3x trigger hooks, slim, 100 mm, 200 mm, 250 mm
- Hook tensioner

11803L 209,50 €*



EXTERNAL PULLER KIT

For extracting flush-fitted components that cannot be extracted using an extractor hook

- Forged
- Sharp edges
- Connection screws with rolled threads

The kit contains a separating device with extractor as well as pull rod extensions for roller-bearings fitted on longer shafts.

11800L – EXTERNAL PULLER KIT, Ø 5 – 60 MM

For extracting flush-fitted components that cannot be extracted using an extractor hook

- Forged
- Sharp edges
- Connection screws with rolled threads

The kit contains a separating device with extractor as well as pull rod extensions for roller-bearings fitted on longer shafts.

Contents:

- Separating device, Ø 5 – 60 mm
- Puller, pulling force up to 2 t
- 2x pull rod extension, + 100 mm



11800L 139,50 €*

11801L – EXTERNAL PULLER KIT, Ø 12 – 75 MM

Contents:

- Separating device, Ø 12 – 75 mm
- Puller, pulling force up to 2,5 t
- 2x pull rod extension, + 100 mm

11801L 185,00 €*




11802L – EXTERNAL PULLER KIT, Ø 22 – 115 MM

Contents:

- Separating device Ø 22 – 115 mm
- Puller, pulling force up to 4,0 t
- 2x pull rod extension, + 100 mm

11802L 258,90 €*



SEGMENTED INTERNAL EXTRACTOR KIT

For extracting ball bearings, bearing shells, bearing bushes and shaft seals.

- With large edges to prevent slipping
- Rolled spindle thread

11900L – SEGMENTED INTERNAL EXTRACTOR KIT, Ø 10 – 37 MM

Contents:

- 5 segmented internal extractor, Ø 10 – 37 mm
- Slide hammer, 0,2 kg
- Counterstay



11900L 270,00 €*

11901L – SEGMENTED INTERNAL EXTRACTOR KIT, Ø 10 – 45 MM

Contents:

- 6 segmented internal extractor, Ø 10 – 45 mm
- Counterstay




11901L 326,50 €*

11902L – SEGMENTED INTERNAL EXTRACTOR KIT, Ø 10 – 75 MM

Contents:

- 7 segmented internal extractor, Ø 10 – 75 mm
- 2x counterstay

11902L 490,90 €*



11903L – SEGMENTED INTERNAL EXTRACTOR KIT, Ø 15 – 75 MM

Contents:

- 4 segmented internal extractor, Ø 15 – 75 mm
- Counterstay

11903L 307,50 €*



11904L – SEGMENTED INTERNAL EXTRACTOR KIT, Ø 10 – 115 MM

Contents:

- 8 segmented internal extractor, Ø 10 – 115 mm
- 2x counterstay

11904L 901,90 €*



BALL JOINT EXTRACTOR

For quickly and efficiently removing ball joints on track rods and suspension joints.



Item	Fork opening	Clear height	Clear width	Max. torque [Nm]	Price
12300L	18	40	40	50	35,90 €*
12301L	25	50	50	120	44,50 €*
12302L	29	60	60	160	60,00 €*
12303L	40	80	80	280	75,50 €*
12305L	45	100	90	400	95,50 €*
12304L	56	80	80	280	102,00 €*

BALL JOINT EXTRACTOR, CV

For quickly and efficiently removing ball joints on track rods and suspension joints.

- Double adjustment possibility on the set and pressure screw
- Suitable for almost all common vehicles



Item	Fork opening	Clear height	Max. torque [Nm]	Max. load [t.]	Price
12100L	22	max. 50	70	3,5	74,00 €*

BALL JOINT EXTRACTOR WITH LEVER TRANSMISSION

For quickly and efficiently removing ball joints on track rods and suspension joints.

- Reinforced version
- Suitable for ball joint bolts with 27 - 36 mm diameter
- Double adjustment possibility on the set and pressure screw



Item	Fork opening	Clear height	Max. torque [Nm]	Max. load [t.]	Price
12101L	36	max. 90	200	10	123,50 €*

BALL JOINT EXTRACTOR, HEAVY TRUCKS

For quickly and efficiently removing ball joints on track rods and suspension joints.

- Reinforced version
- Suitable for ball joint bolts with 35 - 45 mm diameter
- Double adjustment possibility on the set and pressure screw
- Suitable for almost all common trucks and buses



Item	Fork opening	Clear height	Max. torque [Nm]	Max. load [t.]	Price
12102L	45	max. 115	200	20	206,00 €*

BALL JOINT EXTRACTOR, HYDRAULIC, TRUCK

For quickly and efficiently removing ball joints on track rods and suspension joints.

With the included grease hydraulic spindle very tight ball joints can be solved.

- Reinforced version
- Grease hydraulic spindle: max. 15 t



Item	Fork opening	Clear height	Max. torque [Nm]	Max. load [t.]	Price
12103L	36	max. 90	60	10	246,50 €*
12104L	45	max. 115	60	20	371,00 €*

GREASE HYDRAULIC SPINDLE, 15 T

In use with ball joint pullers particularly suitable for fixed bearings or ball joints in commercial vehicles, agricultural and construction machinery.



Item	Pressure force: max [t.]	Stroke [mm]	Thread	Max. torque [Nm]	Price
09682L	15	10	1 1/2" - 16 UN x 266	60	109,50 €*

BALL JOINT EXTRACTOR

For quickly and efficiently removing ball joints on track rods and suspension joints.

- Easy to use thanks to lever transmission
- Reinforced spindle with fine thread and centring ball



Item	Fork opening	Clear height	Max. torque [Nm]	Max. load [t.]	Price
12200L	24	max. 50	40	3,5	45,00 €*
12201L	24	max. 80	40	3,5	60,50 €*

MECHANICAL SPINDLE



Item	Size	Price
10880L-SP	M8 x 85 mm	16,90 €*
10882L-SP	M10 x 105 mm	21,00 €*
12300L-SP	M14 x 1,5 x 60 mm	12,00 €*
10820L-SP	M14 x 1,5 x 130 mm	22,50 €*
12301L-SP	M16 x 1,5 x 60 mm	15,80 €*
12200L-SP	M16 x 1,5 x 70 mm	15,80 €*
12201L-SP	M16 x 1,5 x 90 mm	21,00 €*
12302L-SP	M18 x 1,5 x 70 mm	17,60 €*
10841L-SP	M18 x 1,5 x 240 mm	32,90 €*
12303L-SP	G1/2" 14 x 110 mm	31,50 €*
10822L-SP	G1/2" 14 x 210 mm	34,90 €*
10842L-SP	G1/2" 14 x 270 mm	37,90 €*
10824L-SP	G3/4" 14 x 280 mm	41,90 €*



DIAGNOSTIC - TESTING EQUIPMENT



NEW
PRODUCT

SW STAHL LEAK DETECTOR - SMOKE GENERATOR

This leak detector is the ideal tool for professionals who need a reliable and quick solution for leak testing.

The leak detector is versatile and is suitable for inspecting

- Intake and boost pressure systems
- Crankcases
- Exhaust and exhaust gas recirculation systems
- Fuel systems
- AdBlue and additive systems
- Tyres
- Air conditioning systems
- EVAP fuel systems (especially for vehicles)
- Bodywork and glazing (to locate wind noise and moisture ingress)



62110L 213,00 EUR*

SW STAHL FOG FLUID, 250 ML

Fog fluid suitable for all standard evaporator fog machines. High chemical purity, odourless and biodegradable.



62111L 11,80 EUR*

SW STAHL PRESSURE LOSS TESTER, 7-PIECE

for testing the leakproofness of individual cylinders on diesel and petrol engines.

- Spark plug adapters M10, M12, M14 and M18
- Adapter M24 x 2 mm for diesel engines



26046L 168,00 EUR*

SW STAHL COMPRESSION TESTER, 0 - 70 BAR, 13-PIECE

For diesel engines, with integrated resetting device.

- Flexible hose, approx. 355 mm long
- Scale 0 - 70 bar / 0 - 1000 psi
- 6 glow plug adapters 2 x M10 (68 mm), 1 x M10 (54 mm), 3 x M12 (44 mm)
- Adapters: 2 x injection valves, 2x diesel preheating adapters, 1 x angled adapter 90°
- 5 connection adapters for coupling



26071L 165,90 EUR*

SW STAHL COMPRESSION AND PRESSURE LOSS TESTER, 45-PIECE

for professionally testing compression and pressure loss in most car and truck engines.

- Glow- and Sparkplug adaptors M8, M10, M12, M14 and M18
- Compression pressure tester, max. 50 bar
- Quick- action couplings (straight and angular versions)



26119L 432,50 EUR*

SW STAHL COMPRESSION TESTER, 0 - 20 BAR, 2-PIECE

- With bleed valve
- Measuring range 0 - 20 bar
- 300 mm hose length



26074L 20,90 EUR*

SW STAHL FUEL RETURN FLOW TESTER, 31-PIECE

Fault diagnosis by measuring the injector return flow rates

- 6 measuring cups with 700 mm connection hose each
- 6 plastic bulbs for direct measurement
- Includes 24-piece adapter set



26110L 49,00 EUR*

SW STAHL ADAPTOR SET FUEL RETURN FLOW TESTER, 24-PIECE

Supplement to return flow tester 26078L. The adapters are suitable for all systems, e.g. Siemens, Bosch, Denso, Delphi etc.



26079L 59,00 EUR*

NEW
PRODUCT

SW STAHL ULTRASONIC CLEANER, 15 L

- Basin capacity: 15 L
- Tank size: 330 x 300 x 150 mm
- Basket size: 290 x 260 x 130 mm
- Temperature: 20-80 °C
- Time: 0-30 minutes



62120L 568,50 EUR*

SW STAHL FUEL RETURN FLOW TESTER, 7-PIECE

Fault diagnosis by measuring the injector return flow rates

- 6 measuring cups with 700 mm connection hose each
- 6 plastic bulbs for direct measurement



26078L 35,50 EUR*

SW STAHL OIL PRESSURE TESTER, 0-10 BAR

for measuring the current oil pressure.

- Scale 0 - 10 Bar
- 2.0 m tube length
- Can be used universally



26166L 106,50 EUR*

SW STAHL STETHOSCOPE, ELECTRONIC

for detecting mechanical damage to the engine, transmission and differential as well as noises on the chassis

- Infinitely adjustable volume
- With flexible shaft and highly sensitive microphone
- With 6-channel distributor and 6 sensors



S3531 88,90 EUR*

SW STAHL TESTING TOOL FOR DIESEL INJECTORS

For precise adjustment of the injection pressure and to check the spray pattern

Including:


- 2 adaptors M12 x 1.5 and M14 x 1.5
- Container with microfilter
- With supporting foot four mounting on the bench



26091L 306,90 EUR*

SW STAHL STETHOSCOPE

For detecting mechanical damage to the engine, transmission and differential, as well as noises in the chassis.



405130L 9,00 EUR*

SW STAHL PETROL PRESSURE TESTER, 0-8 BAR, 70-PIECE

Ideal for mechanical and electronic petrol injection systems. Adjustable 3-way valve.

- Precision manometer 0.03 - 8 bar (0.5 - 120 psi)
- 5 hoses, coupling on both sides
- 30 adaptors for European, Asian and American vehicles



26073L 286,50 EUR*

ENGINE



SW STAHL ENGINE SUPPORT, MAX. 250 KG

The universal engine support securely holds the engine from below as soon as the side engine mounts are dismantled. The usual engine bridge is no longer required. Provides free access from above when working on the timing belt, water pump or auxiliary drive.

Dimensions:

- Maximum support load: 250 kg
- Variable length from 374 mm to 1170 mm
- Telescopic arm: extendable to 230 mm
- Support arms: rotatable by 360°, 122 mm long holes



26597L 532,90 EUR*

SW STAHL ADJUSTING BOLTS SET, AUDI/VW, 6-PIECE

This adjustment bolt set is used to fix the subframer back into its original position after removal, after which it can be screwed tight. Vehicle alignment is not usually necessary.

- You can find the exact vehicle specification at www.tool-is.com.
- Used equivalent to OE number T10486A.



26507L 35,50 EUR*

SW STAHL ADJUSTING BOLTS SET, AUDI/VW, 4-PIECE

This adjustment bolt set is used to fix the subframer back into its original position after removal, after which it can be screwed tight. Vehicle alignment is not usually necessary.

- You can find the exact vehicle specification at www.tool-is.com.
- Used equivalent to OE number T10096.



26504L 21,50 EUR*

SW STAHL ADJUSTING BOLTS SET, VW/MAN, 4-PIECE

This adjustment bolt set is used to fix the subframer back into its original position after removal, after which it can be screwed tight. Vehicle alignment is not usually necessary.

- You can find the exact vehicle specification at www.tool-is.com.
- Used equivalent to OE number T10227.



26506L 25,50 EUR*

SW STAHL ADJUSTMENT TOOL FOR DIESEL PUMPS, 0-5 MM, 10-PIECE

for checking and adjusting the engine timing and the start of fuel delivery for diesel injection pumps.

Suitable for:

- Bosch EP/VE, Rotory, Kikki, Nippon, Lucas, CAV, Roto
- Depth gauge 0 - 5 mm



26060L 94,50 EUR*

SW STAHL TURBO SYSTEM TESTER SET, 13-PIECE

For quick diagnosis of the turbo charger system. Professional, time-saving troubleshooting, e.g. for leaky air coolers or invisible cracks in the air hoses. Suitable for all common hoses in the turbo charger system thanks to the multi-stage offset adapters.



26200L 118,50 EUR*

SW STAHL INJECTOR EXTRACTION TOOL SET, MERCEDES-BENZ, 8-PIECE

for Siemens or Bosch Injectors.

- With slide hammer 1.7 kg
- For internal threads: M10x1,5 / M12x1,75 / M14x1,5 / M17x1,0
- For external threads M27x1,0
- Removal claw (13,5 mm internal dimension)



03686L 70,90 EUR*

SW STAHL INJECTOR EXTRACTION TOOL SET, VAG

suitable for

- SDI- and TDI-diesel engine
- FSI- and TFSI-gasoline engines
- Incl. calibration sleeves, which are required when replacing the Teflon ring on injection nozzles.



26107L 108,50 EUR*

SW STAHL CLEANING SET FOR INJECTOR SEAT AND SHAFT, 21-PIECE

- For removing soot residues in the injector shaft
- Cleaning the injector seat
- Including seal ring extractor
- For Bosch and Delphi injectors



03689L 177,50 EUR*

SW STAHL INJECTORS SEAL SEAT-CUTTER SET, UNIVERSAL

For cleaning the sealing seats when removing the injectors.


- 15 x 19 mm milling cutter
- 17 x 17 mm milling cutter
- 17 x 19 mm milling cutter
- 17 x 21 mm milling cutter



03683L 35,50 EUR*

SW STAHL INJECTOR SEALING RING PULLER, 7.2 - 9 MM

For removing copper rings in the injector shaft, some of which are very difficult to loosen.



03684L 35,50 EUR*

SW STAHL CLEANING BRUSH, STEEL, Ø 19 MM

for the fast elimination of soot particle residue in the glow plug shaft and injector needle shaft.

- steel brush dia. 19 mm x 85 mm



03689L-1 6,60 EUR*

SW STAHL SPECIAL SOCKET, 3/8", DOUBLE HEXAGON, 14 MM, WITH JOINT

- With rubber trap
- For spark plugs with bi-hex socket
- 10 mm (3/8") drive



03649L 9,60 EUR*

SW STAHL SPECIAL SOCKET, 3/8", 16 MM, WITH JOINT

with rubber trap, for glow and spark plugs that are difficult to reach.


- 10 mm (3/8") drive



03646L 9,50 EUR*

SW STAHL GLOW PLUG REMOVAL TOOL

By simultaneously turning and pulling the glow plug with this tool, the carbon deposits on the shaft of the glow plug seat are stripped off. The 10 mm (3/8") drive allows you to work with a torque wrench and reduces the risk of the plug head breaking off.



03660L 35,50 EUR*

SW STAHL THREAD TAPPING SET, GLOW- AND SPARKPLUGS, 7-PIECE

For cleaning and recutting even deep-set spark plug and glow plug threads

Dimensions:

- M8, M10, M12, M14, M16



03669L 165,90 EUR*

SW STAHL REMOVAL KIT GLOW PLUG ELECTRODE, 11-PIECE

For quick removal of broken glow plug electrodes without removing the cylinder head. For all common glow plug sizes.

Contents:

- 4 guide sleeves, M8x1.0, M9x1.0, M10x1.0 and M10x1.25
- 2 drills with extension, ø 2.5 mm and ø 3.2 mm
- 2 taps with extension, M3x0.5 and M4x0.7
- 2 removal rods, M3x0.5 and M4x0.7
- 1 bearing



03719L 213,00 EUR*

SW STAHL GLOW PLUG REMOVAL TOOL SET, M8 X 1.0 AND M10 X 1.0, 16-PIECE

For glow plugs with M8 x 1 mm and M10 x 1 mm threads.



03672L 94,90 EUR*

SW STAHL SPARK PLUG CONNECTOR PLIER

with strong insulated handles. Also suitable for pulling off injection lines



40901L 11,90 EUR*

SW STAHL IGNITION COIL REMOVAL HANDLE, VAG

for professional removal of ignition coils with power output stage. Used equivalent to OE number T10530.



10642L 14,90 EUR*

SW STAHL IGNITION COIL REMOVAL SET, VAG, 4-PIECE

For ignition coils with power output stage on VAG engines. Prevents damage to the coil during removal



10645L 29,50 EUR*

SW STAHL SPARK PLUG SOCKET, 1/2", 16 MM

with rubber trap, extra long.



03101SB 4,60 EUR*

SW STAHL SPARK PLUG SOCKET, 1/2", 16 MM

with permanent magnet, extra long.



03160SB 8,70 EUR*

SW STAHL SPARK PLUG SOCKET WITH T-HANDLE AND JOINT, 16 MM

with joint and rubber trap, insulated handle.



03601SB 6,90 EUR*

SW STAHL SPARK PLUG SOCKET WITH T-HANDLE AND JOINT, 16 MM

Extra long sturdy T- handle and joint, with rubber trap.



03610L 10,90 EUR*

SW STAHL SPARK PLUG SOCKET, 3/8", 14 MM, DOUBLE HEXAGON

For spark plugs with bi-hex socket, 10 mm (3/8") drive, internal O-ring holds the plugs securely in place.



03149L 9,40 EUR*

SW STAHL SPARK PLUG SOCKET, 3/8", 16 MM, DOUBLE HEXAGON

For spark plugs with bi-hex socket, 10 mm (3/8") drive, internal O-ring holds the plugs securely in place.



03146L 9,90 EUR*

SW STAHL SPARK PLUG SOCKET WITH T-HANDLE AND JOINT, 21 MM

Extra long sturdy T- handle and joint, with rubber trap.



03620L 11,10 EUR*

SW STAHL SPARK PLUG TOOL SET, 5-PIECE

Content:

- 1 jointed ratchet wrench
- 2 extensions (37.5 + 75 mm)
- 2 spark plug sockets (16 + 21 mm)



03710SB 11,90 EUR*

SW STAHL SPARK PLUG SOCKET SET, 3/8", 14 MM, 2-PIECE

For 14 mm hex and bi-hex spark plugs in all installation depths, 10 mm (3/8") drive.



03640L 23,50 EUR*

SW STAHL SPARK PLUG SOCKET, 3/8", 14 MM, EXTRA LONG

For deep-set glow plugs and spark plugs

- 10 mm (3/8") drive
- Length: 250 mm



03641L 19,10 EUR*

SW STAHL SPARK PLUG THREAD REPAIR TOOL SET, 16-PIECE

For quick and professional repair of defective spark plug threads in cylinder heads. For internal threads M14 x 1.25 mm without removing the cylinder head. Universally applicable, even for spark plugs with conical sealing seats.



10610L 23,50 EUR*

SW STAHL DIGITAL IGNITION TIMING GUN, 12 V

Stroboscope for 12 Volt systems in 2, 3, 4, 5, 6, 8-cylinder engines. Can be used for 4-stroke distributor ignition systems, 2-stroke and twin-spark ignition systems. With xenon lamp, red and black cable clamps for the power supply, inductive clamp and green crocodile clip for measuring speed, closing angle and for the voltage test.

- Perfect setting of ignition from 0 to 60°
- Closing angle test from 0 - 99.9% with conversion scale
- Engine speed counter from 200 - 9999 rpm
- Voltage drop test
- Voltmeter



32229L 94,90 EUR*

SW STAHL SPARK PLUG SOCKET WITH JOINT, 3/8", 14 MM, DOUBLE HEXAGON

For removing and installing spark plugs with bi-hex socket. An integrated rubber trap is used to secure the spark plug.



03630L 14,20 EUR*

SW STAHL SPARK PLUG SOCKET WITH JOINT, 3/8", 16 MM, DOUBLE HEXAGON

For removing and installing spark plugs with bi-hex socket. An integrated rubber trap is used to secure the spark plug.



03631L 14,20 EUR*

SW STAHL COUNTERHOLDER BELT PULLEY, UNIVERSAL

for fixing all belt pulleys, extra long lever and stable design to prevent damage to the components.

- Diameter approx. 170 mm
- For V-rib belts and flat belts



10573L 48,50 EUR*

SW STAHL V-RIBBED BELT TOOL 2-PIECE

Universal, for easy removal and installation of elastic V-ribbed belts.



10596L 15,40 EUR*

SW STAHL V-RIBBED BELT SPANNER TOOL SET, 11-PIECE

Universal product for easy removal and installation of elastic V-ribbed belts. Also suitable for use with double pulleys.

Belt tension cannot be relieved because there is no tensioning unit. This tool is virtually indispensable for carrying out removal and installation correctly.



26341L 130,00 EUR*

SW STAHL BIT SET FREEWHEEL PULLEY, 1/2", 13-PIECE

for mounting freewheel pulley. For holding the pulley using the enclosed 33-teeth sockets.

- Bits with hexagon drive:
- Hexagon 8, 10 mm
- XZN tripe square M8, M10
- T-profile T40, T50
- 2 firmly mounted bits T50 and M10
- Special sockets for Bosch, Valeo, Delco

For universal use on VAG, BMW, Mercedes-Benz, Ford, Renault and others.



05257L 33,00 EUR*

SW STAHL BIT SET FREEWHEEL PULLEY, 1/2", 22-PIECE

for mounting the freewheel pulley. Holding the pulley in place by using the enclosed 33-tooth inserts and a 31-tooth insert, e.g. For Ford.

- Content:**
- Bits with hexagon drive 8, 10 mm
 - XZN tripe square M8, M10
 - T-profile T40, T50
 - 2 fixed bits T50 and M10
 - Special adapter for almost all vehicle types



05275L 58,00 EUR*

SW STAHL PIN-TYPE FACE WRENCH WITH INTERCHANGEABLE PINS, 16-PIECE

With replaceable pins and locking by knurled nut:

- Pin diameter 2.5 - 3 - 4 - 5 - 6 - 7 - 8 - 9 mm
- Span 102 mm

Ideal as a counter-holder for repairs to transmissions and differentials and for viscous fan installation and removal.




S1464 47,00 EUR*

SW STAHL COUNTERHOLDER, VAG

For holding the crankshaft pulley

Used equivalent to the following OE numbers:

- T30004
- 3415



10586L 35,50 EUR*

SW STAHL COUNTERHOLDER CRANKSHAFT, BMW / MINI / PEUGEOT

for loosening and tightening the crankshaft central screw. Suitable for:

- BMW / Mini: N12, N14, N18, N40, N42, N43, N45, N46, N51, N52, N53, N63
- Peugeot: EP3, EP6, EP6DT, EP6DTS

Used equivalent to the following OE-number:

- BMW OE-No. 11.9.280



10589L 33,90 EUR*

SW STAHL SPECIAL WRENCH FOR FREEWHEEL PULLEY, SPLINE, M10

for mounting freewheel pulley. The pulley is held by 33 tooth-insert.



05255L 11,80 EUR*

SW STAHL V-RIBBED BELT SPANNER TOOL, DOUBLE HEXAGONAL, 5-PIECE

For tensioning V-ribbed belts

- Ideal for confined spaces in the engine compartment
- Due to the angled shape, no additional removal of components are necessary
- Non-slip handle for safe working
- Length 460 mm each



10557L 96,50 EUR*

SW STAHL LOCKING TOOL FLYWHEEL, BMW / MINI

For locking the flywheel when loosening and tightening the central screw on the vibration damper on diesel and petrol engines with engine code:

- M47, M57, M67, N43, N45, N46, N47, N51, N52, N53, N54, W17



10588L 84,90 EUR*

SW STAHL COUNTERHOLDER CRANKSHAFT, OPEL

For holding the crankshaft pulley and for releasing the central fixing screw.

Suitable for Opel Adam, Astra J, Cascada, Corsa D, Insignia, Meriva B, Mokka, Zafira C with 1.0 / 1.2 / 1.4 l ecoFlex engines.



10566L 118,50 EUR*

SW STAHL ENGINE TIMING TOOL SET, VAG

Very comprehensive universal set for vehicles with VAG petrol and diesel engines. Includes tools for locking the flywheel, crankshaft and camshaft and for adjusting the timing belt tension.

Installed in the following vehicles:

- Audi A1, A2, A3, A4, A5, A6, A8, Q3, Q5, TT, Coupe, Cabriolet, 80, 100
- Ford Galaxy
- Mitsubishi Lancer
- Seat Alhambra, Altea, Arosa, Cordoba, Exeo, Ibiza, Inca, Leon, Toledo
- Škoda Fabia, Felicia, Octavia, Rapid, Roomster, Superb, Yeti
- VW Amarok, Beetle, Bora, Caddy, Eos, Fox, Golf, Jetta, Lupo, Passat, Polo, Scirocco, Sharan, Tiguan, Touran, Vento, LT, Transporter



26383L 135,90 EUR*

SW STAHL ENGINE TIMING TOOL SET, SEAT/ŠKODA/VW

contains the most important tools for repair work on 1.2 l. VAG engines with 2- and 4-valve technology.

Suitable for the following vehicles:

- Seat Cordoba ,02-'08, Ibiza III ,02-'08, Ibiza IV ,08-'17, Toledo IV ,12-'19
- Škoda Fabia I ,99-'07, Fabia II ,07-'14, Rapid NH, Roomster ,06-'10
- VW Fox ,05-'11, Polo IV ,01-'09, Polo V ,09-'17



26354L 28,50 EUR*

SW STAHL ENGINE TIMING TOOL SET, AUDI / SEAT / ŠKODA / VW

contains the most important tools for repair work on 1.2 TSI and TFSI VAG engines with timing chain.

Suitable for the following vehicles:

- Audi A1 ,10-'15, A3 ,10-'13
- Seat Altea/XL ,10-, Ibiza IV ,10-'15, Leon ,12-'15, Toledo IV ,12-'15
- Škoda Fabia II ,10-'14, Octavia II ,10-'13, Rapid ,12-'15, Roomster ,10-'15, Yeti ,09-'15
- VW Beetle ,11-'19, Caddy III ,10-'15, Golf VI ,09-'16, Golf Plus ,09-'14, Jetta IV ,10-'17, Polo V ,09-'14, Touran ,10-'15



26360L 22,50 EUR*

SW STAHL ENGINE TIMING TOOL SET, AUDI / SEAT / ŠKODA / VW

for professional engine repair with 1.0 / 1.2 / 1.4 / 1.5 TSI and TFSI as well as 1.6 MPI engines.

Suitable for the following vehicles:

- Audi A1 (2010-2018), A3 (2012-), A4 (2015-), A5 (2016-), Q2 (2016-), Q3 (2011-)
- Seat Alhambra (2010-), Ateca (2016-), Ibiza (2008-2017), Ibiza (2016-), Leon (2012-), Mii (2011-), Toledo (2012-)
- Skoda Citigo (2011-), Fabia (2014-), Kodiaq (2016-), Octavia (2012-), Rapid (2012-), Superb (2015-), Yeti (2009-2017)
- VW Beetle (2011-), Caddy (2015-), CC (2011-2016), Golf VII (2012-), Jetta (2009-), Passat (2014-), Polo (2009-), Scirocco (2008-2017), Sharan (2010-), Tiguan (2007-2016), Tiguan (2016-), Touran (2015-), up! (2011-)



26400L 96,50 EUR*

SW STAHL ENGINE TIMING TOOL SET, VAG TSI/TFSI EA-211 ENGINES

With this engine timing tool set, the user can adjust and check the timing of EA 211 (1.0/1.2/1.4/1.5l) TSI/TFSI petrol engines from the Volkswagen Group without having to rely on computer-assisted tools.

Suitable for the following vehicles:

- Audi (from 2012), Cupra (from 2020), Seat (from 2012), Skoda (from 2012) and Volkswagen (from 2012)



26420L 294,50 EUR*

SW STAHL EXTENSION KIT FOR 1.0 TSI AND 1.6 MPI ENGINES

This set complements the engine adjustment tool 26420L. With this extension, 1.0 TSI and 1.6 MPI engines with low-mounted camshafts can be adjusted. The set only works in combination with 26420L.

NEW
PRODUCT



26421L 69,90 EUR*

SW STAHL ENGINE TIMING TOOL SET, AUDI / SEAT / ŠKODA / VW

contains the most important tools for repair work on 1.4 and 1.6 l. VAG FSI, TSI and TFSI engines.

Suitable for the following vehicles:

- Audi A1 ,14-'18, A3 ,03-'13
- Seat Alhambra ,10-'22, Altea ,04-'15, Cordoba ,06-'09, Ibiza III ,02-'08, Ibiza IV ,08-'15, Leon ,07-'12, Toledo III ,04-'09, Toledo IV ,12-'19
- Škoda Fabia II ,07-'14, Octavia II ,04-'13, Rapid ,12-'17, Roomster ,06-'15, Superb II ,08-'15, Yeti ,09-'17
- VW Beetle ,11-'19, Eos ,06-'15, Golf V ,03-'09, Golf VI ,08-'16, Jetta III ,05-'10, Jetta IV ,10-'18, Passat ,05-'14, CC ,12-'16, Polo IV ,01-'09, Polo V ,09-'17, Scirocco III ,08-'17, Sharan ,10-'22, Tiguan ,07-'18, Touran I ,10-'15



26352L 36,50 EUR*

SW STAHL COUNTERHOLDER CAMSHAFT AND CRANKSHAFT

Especially for counterholding camshafts, camshaft phasers and cardan shafts. Due to the enclosed screw-in adapters, this set can be used on the majority of VAG vehicles.

Used equivalent to the following OE numbers:

- Camshaft and crankshaft counterholder, OE number T10172
- Adapter camshaft phaser, OE number T10554



26371L 149,50 EUR*

SW STAHL ENGINE TIMING TOOL SET, VAG

for professional engine servicing on 1.8 / 2.0 I FSi/TFSi/TSi 4 cylinder petrol engines, used in the following vehicles:

- Audi A1 (8X), A3 (8P), A4 (8E, 8K), A5 (8T, 8F), A6 (4F, 4G), A7 (4G), A8 (4H), Q3 (8U), Q5 (8R), TT (8J, FV)
- Seat Alhambra, Altea (5P), Exceo (3R), Leon (1P, 5F), Toledo (5P)
- Skoda Octavia (1Z, 5E), Superb (3T), Yeti (5L)
- VW Amarok (2H), Beetle (5C), CC (358), EOS (1F), Golf (1K, 5K, 5G), Jetta (1K, 16), Passat (3C, 36), Passat CC (35), Polo (6R), Scirocco (13), Sharan (7N), Tiguan (5N), Touran (1T), Transporter T5 (7H, 7E), Transporter T6 (SG, SF)



26342L 124,50 EUR*

SW STAHL ENGINE TIMING TOOL SET, AUDI / VW

for locking the camshaft and crankshaft on 2.0 FSi, TSi and TFSi VAG petrol engines

Installed in the following vehicles:

- Audi A3, 03-13, A4, 00-08, A6, 04-11, TT, 06-14
- Seat Altea, 04-15, Exeo, 08-13, Leon, 05-12, Toledo, 04-09
- Škoda Octavia, 04-13
- VW Eos, 06-15, Golf V, 03-08, Golf VI, 08-12, Jetta, 05-10, Passat, 05-10, Polo, 09-14, Scirocco, 08-17, Touran, 03-15



26375L 62,50 EUR*

SW STAHL ENGINE TIMING TOOL SET, AUDI / SEAT / ŠKODA / VW

contains the most important tools for repair work on 1.2, 1.5, 1.6, 1.9 and 2.0 I. VAG TDI engines.

Suitable for the following vehicles:

- Audi A1, A3 (8P), A4 (B8), A5, A6, (C6, C7), TT (8J), Q3, Q5
- Seat Ibiza (6J), Leon III, Exeo, Toledo, Altea, Alhambra II
- Škoda Fabia II, Roomster, Praktik, Octavia II, Superb II, Yeti
- VW Amarok, Beetle II, Caddy II, Eos, Golf V/VI/Plus, Jetta V/VI, Passat B6/B7/CC, Polo V, Scirocco III, Sharan II, Touran II, Tiguan, T5



26357L 67,90 EUR*

SW STAHL ENGINE TIMING TOOL SET, AUDI / SEAT / ŠKODA / VW

contains the most important tools for repair work on 1.6 and 2.0 I. VAG TDI common-rail engines.

Suitable for the following vehicles:

- Audi A1, 14-18, A3, 12-20, A3, 20-, A4, 07-15, A4, 15-, A5, 07-16, A5, 16-, A6, 11-18, A6, 18-, A7, 18-, Q2, 16-, Q3, 11-18, Q3, 18-, Q5, 08-17, Q5, 17-, TT, 14-19
- Seat Alhambra, 10-22, Arona, 17-, Ateca, 16-, Ibiza IV, 08-17, Ibiza V, 17-, Leon III, 12-20, Leon IV, 20-, Tarraco, 18-, Toledo IV, 12-19
- Škoda Fabia III, 14-22, Kamiq, 19-, Karoq, 17-, Kodiaq, 16-, Octavia III, 12-20, Octavia IV, 20-, Rapid, 12-19, Scala, 19-, Superb III, 15-, Yeti, 09-17
- VW Arteon, 17-, Beetle, 11-19, Caddy IV, 03-20, Caddy V, 20-, Golf VII, 12-20, Golf VIII, 19-, Jetta IV, 10-18, CC, 12-16, Passat VIII, 14-19, Polo V, 09-17, Scirocco, 08-17, Sharan, 10-22, Tiguan I, 07-18, Tiguan II, 16-, Touran II, 15-, T-Cross, 18-, T-Rock, 17-, Crafter I, 06-16, Crafter II, 16-, Transporter T6, 15-21, Transporter T7, 21-




26365L 102,90 EUR*

SW STAHL ENGINE TIMING TOOL SET, VAG

for VAG 1.8l and 2.0l TSI / TFSI gasoline engines from ,08 with timing chain.

Fits:

- Audi A3, A4, A5, TT, Q5
- VW Eos, Golf Jetta, Passat, Scirocco, Sharan, Tiguan
- Seat Altea, Exeo, Leon, Toledo



26159L 79,50 EUR*

SW STAHL ENGINE TIMING TOOL SET, MERCEDES-BENZ

contains the most important tools for repair work on 1.6 and 1.8 I. Mercedes-Benz petrol engines.

Suitable for the following vehicles:

- Mercedes-Benz: C-Klasse, 00-07, C-Klasse, 07-15, CLK, 03-10, E-Klasse, 02-09, E-Klasse, 09-17, SLK, 04-11, SLK, 11-20 und Sprinter, 06-18



26364L 124,50 EUR*

SW STAHL TIMING CHAIN TOOL SET, MERCEDES-BENZ

special tool for separating and riveting the timing chains of gasoline and diesel engines with single and double timing chain on Mercedes-Benz vehicles.



26330L 147,00 EUR*

SW STAHL ENGINE TIMING TOOL SET, BMW

Contains important tools e.g. for the following tasks on petrol engines M40, M43 as well as engines with double camshafts M42, M44, M50, M52, M54, M56:

- Installing and removing as well as adjusting the camshaft unit
- Checking and setting the engine timing
- Changing the timing belt and timing chain



26103L 192,50 EUR*

SW STAHL ENGINE TIMING TOOL SET, CITROËN / MINI / PEUGEOT

for locking the camshaft and crankshaft on 1.4 and 1.6 petrol engines

Installed in the following vehicles:

- Citroën Berlingo, 08-18, C3, 09-17, C4, 04-10, C4, 10-18, C5, 08-17, DS3, 10-19, DS3, 10-19, DS4, 11-18, DS5, 11-19
- Mini (R55/56/57/58/59/60/61), 06-16
- Peugeot 207, 06-15, 208, 12-19, 308, 07-15, 308, 13-21, 508, 10-18, 508, 18-, 2008, 13-19, 3008, 09-16, 5008, 09-17, 5008, 17-, RCZ, 10-15, Partner Tepee, 08-18



26374L 90,50 EUR*

SW STAHL ENGINE TIMING TOOL SET, BMW

for locking the camshaft and crankshaft on 1.6 BMW N13 and N18 engines.

Installed in the following vehicles:

- BMW 1er (F20/21), 11-19
- BMW 3er (F30/31/34/35), 11-19
- Mini (R55/56/57/58/59/60/61), 06-16

Engine codes: N13, N18



26382L 90,50 EUR*

SW STAHL ENGINE TIMING TOOL SET, BMW

contains important tools for working on 1.6l petrol engines with the engine code N40, N45 e.g.

Suitable for:

- BMW 1er (E81/82/87/88), 04-13
- BMW 3er (E46) 98-07
- BMW 3er (E90/91/92/93) 05-13



26210L 101,90 EUR*

SW STAHL ENGINE TIMING TOOL SET, BMW

Contains important tools e.g. for the following tasks on 4 cylinders petrol engines N42, N46 and N46T.

- Installing and removing the camshafts and the variable camshaft unit (double variable camshaft phasing)
- Checking and setting the engine timing

Suitable for: BMW 1-series E81/E87, 3-series E46, E90, E91, X3 E83, Z4 E85, 5er E60, E61



26105L 237,90 EUR*

SW STAHL ENGINE TIMING TOOL SET, BMW

for locking the camshaft and crankshaft on 1.6, 1.8 and 2.0 BMW N43 engines.

Installed in the following vehicles:

- BMW 1er (E81/82/87/88), 04-13
- BMW 3er (E90/91/92/93), 05-13
- BMW 5er (E60/61), 03-10



26378L 158,50 EUR*

SW STAHL ENGINE TIMING TOOL SET, BMW

for locking the camshaft and crankshaft on 1.6, 2.0 and 3.0 BMW diesel engines

Engine codes: N47, N57



26379L 90,50 EUR*

SW STAHL SPROCKET PULLER FUEL PUMP, BMW

for pulling off the sprocket when removing the high-pressure fuel pump on BMW engines



26370L 9,00 EUR*

SW STAHL ENGINE TIMING TOOL SET, BMW

suitable for work on BMW 2.5 l and 3.0 l, 6-cylinder petrol engines with double camshaft

Engine codes: N51 / N52 / N52K / N53 / N54 / N55

To be used with the following OE numbers:

- 11.0.300, 11.4.280, 11.4.281, 11.4.282, 11.4.283, 11.4.285, 11.4.290, 11.8.520, 11.9.340



26339L 203,90 EUR*

SW STAHL ENGINE TIMING TOOL SET, OPEL

Contains important tools e.g. for the following work:

- Locking the flywheel
- Locking the crankshaft
- Locking the camshaft
- Locking the injection pump shaft
- Pulling off the crankshaft belt pulley
- Tensioning the timing belt



26053L 260,50 EUR*

SW STAHL ENGINE TIMING TOOL SET, OPEL / VAUXHALL

contains the most important tools for repair work on 1.0, 1.2 and 1.4 l Opel engines with double camshaft

Suitable for the following vehicles:

- Nissan Pixo ,09-'13
- Opel Agila A ,00-'07, Astra G ,98-'09, Astra H ,04-'09, Combo C ,01-'11, Corsa B ,93-'00, Corsa C ,00-'06, Corsa D ,06-'14, Meriva A ,03-'10, Tigra B ,04-'10
- Suzuki Alto ,09-'15, Alto ,14-, Celerio ,14-, Splash ,08-'14, Wagon R ,03-'08



26350L 33,90 EUR*

SW STAHL ENGINE TIMING TOOL SET, OPEL / VAUXHALL

contains the most important tools for repair work on 1.0, 1.2 and 1.4 l Opel engines with double camshaft

Suitable for the following vehicles:

- Chevrolet Aveo ,11-, Cruze ,10-, Orlando ,12-, Trax ,12-
- Opel Adam ,12-'19, Ampera ,11-'15, Astra J ,09-'15, Cascada ,13-'18, Corsa D ,06-'14, Corsa E ,14-, Insignia A ,11-'17, Meriva B ,10-'17, Mokka ,12-, Zafira C ,11-



26362L 102,90 EUR*

SW STAHL ENGINE TIMING TOOL SET, CITROËN / OPEL / PEUGEOT / TOYOTA

for locking the camshaft and crankshaft on 1.0 and 1.2 litre petrol engines, also suitable for PureTech engines

Installed in the following vehicles:

- Citroën Berlingo II/III, C-Elysee, C1 II, C3 II/III, C4 II, C4 Cactus, DS3, DS4
- Opel Astra L, Combo E, Corsa F, Crossland X, Grandland, Mokka B
- Fiat Doblo
- Peugeot 108, 208 I/II, 301, 308 II, 408 II, 508 II, 2008 I/II, 3008 I/II, 5008 I/II, Partner Tepee, Rifter
- Jeep Avenger
- Toyota Aygo, Proace

NEW
PRODUCT



26346L 135,90 EUR*

SW STAHL ENGINE TIMING TOOL SET, ALFA / FIAT / OPEL / SAAB / VAUXHALL

contains the most important tools for repair work on 1.4 and 1.6 l VAG FSI, TSI and TFSI engines.

Suitable for the following vehicles:

- Alfa Romeo 159 ,05-'11
- Chevrolet Aveo I ,08-'15, Aveo II ,11-'20, Cruze ,09-'16, Orlando ,10-'18, Trax ,13-
- Fiat Croma ,05-'10
- Opel Astra G ,02-'06, Astra H ,04-'12, Astra J ,09-'15, Corsa D ,0-'14, Corsa E ,15-'19, Insignia A ,08-'17, Meriva A ,06-'10, Mokka A ,12-'19, Signum ,05-'08, Vectra C ,05-'08, Zafira A ,03-'05, Zafira B ,05-'15, Zafira C ,11-'19
- Saab 9-5 ,10-'12



26363L 28,50 EUR*

SW STAHL ENGINE TIMING TOOL SET, OPEL / VAUXHALL

for professional engine servicing on 2.0 l CDTi engines from year 2014, used in the following vehicles:

- Opel Antara, Cascada, Insignia A, Insignia B, Zafira C
- Engine codes: B20DTH, B20DTR, D20DTH, D20DTR



26334L 124,50 EUR*

SW STAHL ENGINE TIMING TOOL SET, FORD/VOLVO

Very comprehensive universal set for vehicles with Ford petrol and diesel engines. Includes tools for locking the flywheel, crankshaft and camshaft and for adjusting the timing belt tension.

Installed in the following vehicles:

- Ford B-Max, C-Max, Ecosport, Escort, Fiesta, Courier, Focus, Fusion, Galaxy, Ka, Kuga, Mondeo, Orion, Sierra, S-Max, Tourneo, Transit
- Mazda 2, 3, 6, CX-7, MPV



26389L 107,50 EUR*

SW STAHL ENGINE TIMING TOOL SET, FORD

Suitable for 1.0 l EcoBoost 3-cylinder petrol engines from 2012 onwards.

Fits the following vehicles:

- Ford: B-Max, C-Max, Fiesta, Ecosport, Focus, Grand C-Max, Transit Courier, Transit Connect, Tourneo Connect



26230L 169,90 EUR*

SW STAHL TORQUE MULTIPLIER, FORD

for loosening and tightening the central fixing bolt of the crankshaft pulley. The torque multiplier has a gear ratio of 1:5. The tool is mandatory when working on the following Ford engines:

- 1.0 EcoBoost
- 1.0 Duratec
- 1.1 Duratec
- 2.0 Duratorq-TDCi
- 2.0 EcoBlue Diesel



26220L 253,90 EUR*

DESIGNED
IN GERMANY

TT801 BLACK TT801 BLUE TT802 BLACK TT802 BLUE



TT800 – THE CREW FOR YOUR WORKSHOP

YOUR ADVANTAGES AT A GLANCE

- LOAD CAPACITY OF **OVER 600 KG**
- SOFT-CLOSE DRAWERS
- TWIN LOCK** LOCKING SYSTEM
- SIDE-MOUNTED CENTRAL LOCKING
- EXTRA-WIDE DRAWER SLIDES
- DRAWER LOAD CAPACITY: 80 KG**
- SYSTEM-COMPATIBLE PERFORATED PANEL
- WATERPROOF STAINLESS STEEL WORKTOP
- MAGNETIC STORAGE TRAYS
- BACK-FRIENDLY WORKING HEIGHT, 108 CM
- WHEELS WITH TPE TREAD
- HIGH-TECH BRAKING SYSTEM
- EXTENSIVE ACCESSORIES AVAILABLE, E.G. LAPTOP HOLDER, WASTE BIN, ETC.
- FREE EXTENDED WARRANTY
- FOAM INSERT CONTENT OVERVIEW

SW STAHL ENGINE TIMING TOOL SET, FORD

for locking the camshaft and crankshaft on 1.25, 1.4, 1.6, 1.8, 2.0 and 2.3 Ford engines.

Installed in the following vehicles:

- Ford B-Max, 12-17, Cougar, 98-02, C-Max I, 03-10, C-Max II, 10-19, Fiesta IV, 95-01, Fiesta V, 01-08, Fiesta VI, 08-17, Courier, 96-02, Focus I, 98-04, Focus II, 04-10, Fusion, 02-12, Galaxy II, 06-14, Mondeo I, 93-96, Mondeo II, 96-00, Mondeo III, 00-07, Mondeo IV, 07-15, Puma, 97-01, S-Max I, 06-14, Tourneo Connect, 02-13, Transit, 06-13, Transit Connect, 02-13



26372L 13,60 EUR*

SW STAHL ENGINE TIMING TOOL SET, FORD/VOLVO

Suitable for 2.0 l and 2.3 l engines, e.g. in the following vehicles:

- Ford: EcoSport 2 (18-), Focus 3 (11-20), Galaxy (10-), Kuga (12-), Mondeo (10-), S-Max (10-)
- Morgan Plus 4 (14-20)
- Volvo: S60 (10-15), S80 (10-16), V60 (10-14), V70 (09-14), XC60 (09-17)

Engine codes:

- Ford: MGDA, R9CB, R9CD, R9CF, R9CH, R9CI, R9DA, R9DB, R9DC, R9DD, R9MA, R9MB, R9MC, TNBA, TNCA, TNCB, TNCC, TNCD, TNCF, TNWA, TNWB, TPBA, TPWA, XQDA, YVDA
- Morgan: XQDA
- Volvo: B4204T6, B4204T7



26347L 95,90 EUR*

SW STAHL ENGINE TIMING TOOL SET, FORD

for locking the camshaft and crankshaft on 2.0 EcoBlue engines.

Installed in the following vehicles:

- Ford Focus IV, Galaxy III, Kuga III, Mondeo V, Ranger, S-Max, Tourneo Custom, Transit Custom, Transit V363

Engine codes: BCCC, BCCD, BCDA, BCFA, BCFB, BCFE, BCFD, BCRA, BCRB, BJFA, BJFB, BJFC, BJFD, BJRA, BKFA, BKFB, BKFC, BKFD, BKRA, BKRB, BLFA, BLFB, BLFC, BLFD, BLHA, BLRA, BLRB, NOHA, POFA, POFB, T20DD0J, YLCB, YLCC, YLDA, YLDC, YLF6, YLFA, YLFB, YLFS, YLR6, YLRA, YMCB, YMCC, YMDA, YMF6, YMFA, YMFB, YMFS, YMHA, YMR6, YMRA, YNCA, YNF6, YNFA, YNFB, YNFS, YNHA, YNR6, YNRA



26319L 226,50 EUR*

SW STAHL ENGINE TIMING TOOL SET, CITROËN / PEUGEOT

Very comprehensive universal set for vehicles with PSA petrol and diesel engines. Includes tools for locking the flywheel, crankshaft and camshaft and for adjusting the timing belt tension.

Installed in the following vehicles:

- Citroën AX, Berlingo, BX, C15, C2, C3, C4, C5, C8, DS4, DS5, Evasion, Jumpy, Nemo, Saxo, Xantia, Xsara, ZX
- Fiat Scudo, Ulysse, Ducato
- Lancia Phedra, Zeta
- Peugeot 106, 205, 206, 207, 306, 307, 308, 309, 406, 407, 508, 607, 806, 807, 1007, 3008, 5008, Bipper, Expert, Partner, Boxer
- Suzuki Grand Vitara



26381L 164,50 EUR*

SW STAHL ENGINE TIMING TOOL SET, FIAT/FORD/IVECO/PSA

for adjusting the timing on 2.2l and 3.0l diesel engines, installed in the following vehicles:

- Citroën Jumper II 2.2 and 3.0 HDI engines
- Fiat Ducato (250) 2.2l and 3.0l Multijet
- Ford Transit, Tourneo 2.2 TDCi
- Iveco Daily 3/4/5/6 3.0 Diesel
- Peugeot Boxer 2.2 and 3.0 HDI engines



26343L 169,90 EUR*

SW STAHL CRANKSHAFT PULLEY LOCKING TOOL, DACIA / NISSAN / RENAULT / SMART

For locking the pulley to loosen the central fastening screw.

Suitable for the following vehicles

- Dacia Dokker, Duster, Jogger, Lodgy, Logan, Sandero
- Nissan Juke (F15), Micra (K14), Pulsar (C13), Qashqai (J11)
- Renault Captur, Clio, Kadjar, Kangoo II, Kaptur, Megane III/IV, Scenic, Twingo III
- Smart Fortwo and Forfour



NEW
PRODUCT

26349L 33,90 EUR*

SW STAHL ENGINE TIMING TOOL SET, FIAT / MERCEDES / NISSAN / OPEL / RENAULT

for professional engine repairs on 1.6, 1.8 and 2.0 litre diesel engines.

- Engine codes: M1D, M9R, R9M, OM622 and OM626



26336L 79,50 EUR*

SW STAHL ENGINE TIMING TOOL SET, NISSAN / OPEL / RENAULT

Very comprehensive universal set for vehicles with Renault petrol and diesel engines. Includes tools for locking the flywheel, crankshaft and camshaft and for adjusting the timing belt tension.

Installed in the following vehicles:

- Dacia Dokker, Duster, Logan, Lodgy, Sandero
- Jeep CJ5, Cherokee
- Lada Largus
- Mitsubishi Carisma, Space Star
- Nissan Kubistar, Primastar
- Opel Arena, Movano, Vivaro
- Renault Avantime, Clio, Espace, Fluence, Kangoo, Laguna, Megane, Modus, Rapid, Safrane, Scenic, Thalia, Twingo, R5, R9, R11, R19, R21, R25, Trafic, Master
- Suzuki Samurai



26387L 124,50 EUR*

SW STAHL ENGINE TIMING TOOL SET, MERCEDES / NISSAN / OPEL / RENAULT

for locking the camshaft and crankshaft on 1.5, 1.9, 2.2 and 2.5 Renault Diesel engines

Installed in the following vehicles:

- Dacia Dokker, Duster, Logan, Lodgy, Sandero
- Mercedes A-Klasse W176, A-Klasse W177, B-Klasse W246, B-Klasse W247, CLA C117, CLA C118, GLA X156, Citan W415, Citan W420
- Nissan Almera, Cube, Juke, Kubistar, Micra, Note, Primera, Qashgai, Tiida, Interstar, Evalia, NV200, Primastar, NV250
- Opel Movano, Vivaro
- Renault Avantime, Captur, Clio, Espace, Fluence, Kadjar, Kangoo, Laguna, Megane, Modus, Scenic, Thalia, Twingo, Vel Satis, Trafic, Master
- Suzuki Grand Vitara, Jimny



26376L 79,50 EUR*

SW STAHL ENGINE TIMING TOOL SET, ALFA / FIAT / FORD / LANCIA

contains the most important tools for repair work on Alfa Romeo, Fiat, Ford and Lancia engines with 1.2 and 1.4 l. 8-valve petrol engines.

Suitable for the following vehicles:

- Alfa Romeo Mito, 11-18
- Fiat New 500, 07-, Doblo/Cargo, 05-10, Fiorino, 08-, Qubo, 09-, Grande Punto, 07-12, Idea, 04-12, Linea, 07-11, Panda, 09-12 und Grande Punto, 05-09, Punto Evo, 09-11, Punto, 12-18
- Ford Ka, 09-16
- Lancia Ypsilon, 06-17, Musa, 05-12




26358L 79,50 EUR*

SW STAHL COUNTERHOLDER CAMSHAFT, UNIVERSAL

Ideal for loosening chain and timing belt sprockets on injection pumps, camshafts, crankshafts, etc.

- Adjustable from 40 - 220 mm
- With 4 pairs of retaining pins, Ø 6 - 10 mm, 8 - 11 mm, 10 - 12 mm, 11 - 16 mm



10577L 39,50 EUR*

SW STAHL ENGINE TIMING TOOL SET, FIAT / IVECO

contains the most important tools for repair work on 2.3 and 2.8 l. Fiat and Iveco engines.

Suitable for the following vehicles:

- Fiat Ducato, 01-06, Ducato, 06-
- Iveco Daily III, 99-06, Daily IV, 06-11, Daily V, 11-14, Daily VI, 14-19



26359L 33,90 EUR*

SW STAHL STRAIGHT EDGE

For checking flat surfaces for flatness, e.g. on the cylinder head or engine block, ground on 2 sides, 630 mm long



72305L 118,50 EUR*

SW STAHL OIL SEAL ASSEMBLY TOOL SET, VAG, 14-PIECE

Suitable for shaft seals with an inner diameter between 32 mm and 38 mm. Also suitable for PTFE shaft seals. Optimised for petrol and diesel engines from Audi, Ford, Seat, Skoda and VW.



94900L 118,50 EUR*

SW STAHL VALVE SPRING FITTING SET, 13-PIECE

Complete with compressed air adapters that enable valve seals to be replaced with the cylinder head installed. Valve wedges and springs can be inserted and removed by one person.



08650L 90,50 EUR*

SW STAHL VALVE SPRING TENSIONING UNIT, UP TO 250 MM

Universally applicable, ideal for diesel and large-volume petrol engines.


- Clamping range up to 250 mm



41260L 46,50 EUR*

SW STAHL VALVE GRINDER, 0-21 MM

with wooden handle



08701L 5,80 EUR*

SW STAHL VALVE SEALING RING PLIERS, 250 MM

for removing the valve sealing ring, length 250 mm.



08510L 11,80 EUR*

SW STAHL ASSEMBLY TOOL FOR OIL SEALS WITH IMPULSE ENCODER WHEEL, VAG

for the professional and damage-free installation of sealing flanges with impulse encoder wheel in the area of the crankshaft. Used equivalent to OE number T50010.



26305L 153,90 EUR*

SW STAHL CYLINDER HONING TOOL, 3-JAW, 32 - 90 MM

for use in electric drills, with 50 mm honing segments. No cuts in the cylinder thanks to adjustable pressure.



41101L 14,00 EUR*

SW STAHL CYLINDER HONING TOOL, 3-JAW, 51 - 178 MM

for use in electric drills, with 100 mm honing segments. No cuts in the cylinder thanks to adjustable pressure.



41102L 21,00 EUR*

SW STAHL PISTON RING CLAMPING STRAP, 53-125 MM

Suitable for pistons with a diameter of 53-125 mm.



41222L 10,60 EUR*

SW STAHL PISTON RING CLAMPING STRAP, 53-175 MM

Suitable for pistons with a diameter of 53-175 mm.



41223L 11,80 EUR*

SW STAHL UNIVERSAL TANK SENSOR WRENCH, 89-170 MM

for the damage-free loosening and tightening of the tank sensor union nut on the fuel tank.

- With 3 arms
- 16 mm hexagon drive
- Adjustable diameter 89 - 170 mm
- Knurled locking mechanism allows for more precise adjustment of arm position
- For universal use



26203L 29,50 EUR*

SW STAHL DIESEL BLEEDER SET WITH ADAPTERS, 15-PIECE

Universally compatible with Ford, Peugeot, Citroën, Opel/Vauxhall, Fiat, Rover, Land Rover, Renault, etc.

- For bleeding diesel fuel systems
- The vehicle-specific adapter ensures a direct connection to the vehicle
- Transparent hoses for convenient monitoring
- Quick and easy to handle



24037L 189,50 EUR*

SW STAHL FUEL HOSE CLIP LOOSENING PLIER

For pipe couplings on fuel filters, e.g. VW, Audi, Fiat, Mercedes, Opel. The locking mechanism can be moved forwards (to lock) and backwards (to unlock) using the pliers.



61708L 15,70 EUR*

SW STAHL PLIERS SET FOR FUEL LINE CONNECTORS, 3-PIECE

for loosening fuel line connectors on VAG, Fiat, Ford, Opel, Peugeot, Renault and Citroën.



61715L 13,30 EUR*

SW STAHL HOSE CLAMPING PLIERS, FOR CLIC AND CLIC-R CLAMPS

with rotatable and angled jaws, for loosening and closing the CLIC and CLIC-R clamps on fuel lines, drive shafts, etc.



45000L 28,90 EUR*

SW STAHL HOSE CLAMP SET, 4-PIECE

With swivelling metal bracket, for petrol hoses, brake hoses and coolant hoses.



61720L 17,00 EUR*

SW STAHL LINE CONNECTOR LOOSENING SET, UNIVERSAL, 22-PIECE

for opening line couplings on air-conditioning systems, fuel, air and oil lines with diameter 5/16", 3/8", 1/2", 5/8", 3/4", 7/8". Universal set - suitable for all standard vehicles.



61717L 35,50 EUR*

SW STAHL HOSE CLAMP PLIERS SET, 3-PIECE

e.g. for brake, petrol, coolant pipes, resistant to oil and acids, with catch closure.

- 150 mm for diameters up to 15 mm
- 180 mm for diameters up to 30 mm
- 250 mm for diameters up to 60 mm



61705L 9,40 EUR*

SW STAHL REFILLING PUMP, RESISTANT TO PETROL AND OIL

Transfer and emergency pump for various liquids, petrol and oil resistant, hose length approx. 2 m, with non-return valve. Hose diameter inside: 8 mm / outside: 12 mm



24005L 17,80 EUR*

SW STAHL REFILLING PUMP, 500 CCM

Metal version, including 2 hoses for intake and outlet, 500 cm³. The ball valve clearly separates the suction and pressure stroke.

Suitable for:

- Petrol, diesel, heating oil
- Coolant, petroleum ether
- Brake fluid and oils
- Hose diameter inside: 9 mm / outside: 12 mm
- Hoses each 1150 mm long



24025L 23,50 EUR*

SW STAHL MULTI-PURPOSE PUMP, 1 L

for refilling fluids such as brake fluid, oil, fuel and cleaning agents. With 500 mm hose and filling hook for places that are difficult to access.



24002L 17,70 EUR*

SW STAHL WATER PUMP TOOL SET, VW T5, 4-PIECE

for removing the water pump in 2.5l 5-cylinder TDI engines VW T5, Touareg. Used equivalent to VAG OE number T10225.



26028L 50,90 EUR*

SW STAHL HOSE PUMP

Shaking pump for the transfer-filling of water, fuel, etc.

- No manual suction required, thus avoiding the ingestion of unpleasant-smelling, unpleasant-tasting and toxic liquids.
- Inner diameter 13 mm
- Outer diameter 17 mm



24003L 9,50 EUR*

SW STAHL CO2 INDICATOR FLUID, 300 ML

for CO² leak detector 21050L.



21051L 22,50 EUR*

SW STAHL CO2 LEAK DETECTOR, 5-PIECE

For quickly checking the engine cooling system in case of cylinder head damage. The CO² gases cause the testing fluid to change colour.

- Suitable for petrol, diesel and gas vehicles!
- Can be used with adapters from 21000L, 21030L and 21040L



21050L 82,90 EUR*

SW STAHL UNIVERSAL FUNNEL WITH FLEXIBLE HOSE

NEW PRODUCT

- Filling aid with a diameter of 25 to 60 mm and an extendable, flexible hose
- Resistant to petrol, diesel, oil, cleaning agents, antifreeze and refrigerants
- Suitable for most standard canisters and bottles
- Perfect for use in the car, household and garden



07385L 4,60 EUR*

SW STAHL FAN HUB SPANNER SET, 11-PIECE

To hold the viscous coupling in place. Enables the mechanic to secure the water pump pulley while simultaneously releasing the viscous coupling.



00125L 98,50 EUR*

SW STAHL COOLING SYSTEM PRESSURE TEST SET, 18-PIECE

Complete with a pump, thermometer and radiator adapters for almost all passenger cars and light trucks, packed in a plastic case.

- Measuring range 0 - 2.5 bar
- Control of pressure loss through manometer
- Testing possibility for locking caps
- Cooling system pressure test



21000L 94,90 EUR*

SW STAHL COOLING SYSTEM PRESSURE TEST SET, 25-PIECE

Complete with a pump, thermometer and radiator adapters for almost all passenger cars and light trucks, packed in a plastic case.

- Measuring range 0 - 2.5 bar
- Check on pressure loss through the manometer
- Test possibility in relation to locking caps
- Inc. vacuum servicing set for cleaning the radiator and topping up the coolant



21030L 102,50 EUR*

SW STAHL COOLING SYSTEM TESTING AND FILLING SET

for the straightforward bubble-free filling of coolant systems, at the same time testing for leaks.

- Universal version with quick-action coupling
- Including flexible hose for working on connections that are difficult to access
- Manometer with rubber protection



- With valve for pressure relief

21010L 63,90 EUR*

SW STAHL FILLING CAN, 2 L

for oil and coolant fluid.

- Resistant to acids, oils and alkalis
- With threaded spout for filler neck



07371L 11,90 EUR*

SW STAHL FILLING CAN, 4 L

for oil and coolant fluid.

- Resistant to acids, oils and alkalis
- With threaded spout for filler neck



07372L 17,70 EUR*

SW STAHL DRIP PAN, 16 L

High quality and sturdy design, for collecting oils, fuels, coolants and windscreen wiper fluid.

- Internal dimensions 560 x 410 x 80 mm



07376L 20,50 EUR*

SW STAHL DRIP PAN, 40 L

High quality and sturdy design, for collecting oils, fuels, coolants and windscreen wiper fluid.

- Internal dimensions 800 x 520 x 100 mm



07377L 41,00 EUR*

SW STAHL SCREWDRIVER BIT FOR OIL DRAIN SCREW, VAG

For professional installation and removal of the oil pan and coolant regulator.

Used equivalent to OE numbers: T10058 and U-40051



03017L 10,90 EUR*

SW STAHL OIL SERVICE INSERT-BIT SOCKET, 1/2", 8 MM, 10 MM

For oil drain plugs with internal square, e.g. on: Ford, Nissan, Mazda, Renault, Peugeot, Volvo, etc.



03000SB 9,40 EUR*

SW STAHL OIL DRAINING SCREW REPAIR SET, 18-PIECE

Complete with fine thread drill bit, 5 new oversized oil drain plugs and matching aluminium gaskets for the specified thread size.

For drain plugs M14, M16 and M18



03020L 53,50 EUR*

SW STAHL OIL DRAINING SCREW REPAIR SET, M15 X 1,5

Complete with fine thread drill bit, 5 new oversized oil drain plugs and matching aluminium sealing rings for oil drain plugs with M14 thread.



03010L 27,00 EUR*

SW STAHL OIL DRAINING SCREW WITH ALUMINIUM SEAL, M15 X 1,50 MM

Oversize oil drain plug with matching aluminium sealing ring



03011L 1,80 EUR*

SW STAHL DRIP PAN, 16 L

- With spout
- Made of HDPE: resistant to almost all polar solvents (T < 80°C), acids, alkalis, water, alcohols, oil, petrol
- Easy to transport, with handles



07375L 15,90 EUR*

SW STAHL REFRACTOMETER

For testing battery acid density, antifreeze content in coolant, windscreen washer fluid, and AdBlue® (AUS 32)



21550L 29,00 EUR*

SW STAHL OIL FUNNEL SET, 7-PIECE

For clean filling of engine oil. The included angle extension allows filling even in hard-to-reach places.

- Funnel volume 1 litre
- Angle extension
- 5 aluminium adapters for the most common vehicle manufacturers

Not to be used with W12 engines!



07362L 177,50 EUR*

SW STAHL OIL FUNNEL ADAPTOR SET 15 PIECE

NEW PRODUCT

- For clean, precise, and environmentally friendly fluid filling
- Filling funnel with a drip-proof seal
- Prevents oil loss and keeps the engine block and manifold clean
- Equipped with a swiveling angle arm for hard-to-reach areas
- Includes compatible adapters for various applications
- Mounts securely to the engine with no play
- Practical plug-in system
- Manufactured from high-quality, specialty plastic



07387L 44,90 EUR*

SW STAHL OIL FUNNEL SET, 3-PIECE

For clean filling of engine oil. Thanks to the tight connection with the filler opening, no more oil is spilled unintentionally.

- Funnel volume 1 litre
- With 2 aluminium adapters:
 - Universal bayonet adapter, e.g. for VAG, BMW, Mercedes-Benz (Sprinter), Ford, etc. (matches 75% of all vehicles)
 - Bayonet adapter for recent VAG models, e.g. Golf VII



07383L 106,50 EUR*

SW STAHL CROWS FOOT OIL FILTER WRENCH, FORD/PSA

Simple, time-saving removal/installation of the filter housing, which is difficult to access due to the diesel particulate filter system



08431L 17,70 EUR*

SW STAHL OIL FILTER WRENCH, 69 - 130 MM

- 3-arms
- 10 mm (3/8") square drive
- With adaptor 12,5 mm (1/2") square drive / 21 mm hexagon
- Suitable for all car oil filters with diameter 69 - 130 mm



08410L 17,70 EUR*

SW STAHL OIL FILTER CUP SET, 23-PIECE

Made of high-strength aluminium, with 12.5 mm (1/2") drive and 27 mm hexagon, incl. removal wrench.


- 1 ratchet wrench 12,5 mm (1/2")
- 1 ring spanner 27 mm
- 21 oil filter cups: 65 mm x 14 edges up to 101 mm x 15 edges



08450L 50,90 EUR*

SW STAHL BARREL PUMP

- For oil, anti-freeze etc. (not for fuels)
- Suitable for barrels of up to 200 litres with thread seat 2" NPT
- Approx. 150 ml per stroke
- Telescopic pipe extendable from 450 to 860 mm



24016L 28,50 EUR*

SW STAHL REVERSIBLE OIL FILTER WRENCH, 60-80 MM

Suitable for universal use; can be used with socket spanner size 21 as well as with a 12.5 mm (1/2") ratchet. Optimum hold and interlock is given through stable self-clamping attachment and the toothed cheeks. Clockwise and anti-clockwise operation, thus suitable for loosening and tightening.



08411L 18,70 EUR*

SW STAHL REVERSIBLE OIL FILTER WRENCH, 80-110 MM

Suitable for universal use; can be used with socket spanner size 21 as well as with a 12.5 mm (1/2") ratchet. Optimum hold and interlock is given through stable self-clamping attachment and the toothed cheeks. Clockwise and anti-clockwise operation, thus suitable for loosening and tightening.



08412L 31,90 EUR*

SW STAHL SUCTION PUMP, ELECTRICAL

For extracting diesel, heating- or engine oil.

- Operation via 12V car battery through crocodile clamps
- Delivery rate Engine oil: 0,2 l / min.
- Capacity of diesel / fuel oil: approx. 70 l / h
- Suction through the guide tube of the oil dipstick shaft using an oil suction probe with a continuous diameter of 6 mm

The pump is not suitable for pumping out of water, transmission oil and highly flammable liquids



08485L 27,50 EUR*

SW STAHL SUCTION PUMP, 9.5 L

For manual or pneumatic operation with 9.5 l tank, ideal for bleeding brakes and for oil extraction, suitable for day-to-day workshop use



24035L 169,50 EUR*

SW STAHL OIL FILTER STRAP WRENCH, 460 MM

- With rubberised textile strap
- Strap length 460 mm
- Strap width 20 mm



04000L 6,50 EUR*

SW STAHL NYLON OIL FILTER STRAP WRENCH, 225 MM CLAMPING AREA

Solid design, completely slip-proof, also for oil filter cartridges and air dryer cartridges in commercial vehicles and construction machinery.

- Approx. 50 mm band width
- Approx. 225 mm clamping area, alternatively with 10 mm (3/8") + 12.5 mm (1/2") square socket
- Can be used clockwise and counterclockwise




08320SB 23,50 EUR*

SW STAHL OIL DIPSTICK, VAG

for manual checking the oil level in VAG engines with an electronic oil sensor.

- Helpful after oil sensor replacement or when calibrating the gauge in the driver display
- Comparable to T40178



03006L 18,10 EUR*

SW STAHL OIL FILTER STRAP WRENCH, 65-105 MM

- Universal, with metal strap
- Diameter from 65 - 105 mm



08425SB 10,30 EUR*

SW STAHL OIL FILTER CUP SET, 30-PIECE

Made of steel, with 28 cups for almost all filters, as well as an oil filter wrench and with a choice of the following drives.

- 10 mm (3/8") drive
- 12.5 mm (1/2") drive
- Hexagon



08460L 75,90 EUR*

SW STAHL OIL DIPSTICK SET, MERCEDES-BENZ, 4-PIECE

For measuring engine and automatic gear oil levels in Mercedes-Benz vehicles.



03004L 31,90 EUR*



TRANSMISSION | CLUTCH & EXHAUST SYSTEM



SW STAHL OIL FILLER ADAPTER, VAG

Specially designed for filling ATF oil into a 7-speed dual-clutch transmission. The adapter can be used with the 24032L oil filler. Used equivalent to OE number VAS 6617/12.



24038L 18,90 EUR*

SW STAHL OIL FILLER DEVICE, 7,5 L

For filling gears and differentials with oil.

- 7.5 l oil tank
- Hose length 160 cm
- Extremely clean due to included return flow valve for targeted recirculation of overfilled oil in the container
- Per stroke 0,07 l
- With 8-piece adapter set



24032L 205,90 EUR*

SW STAHL OIL FILLING HOSE, VAG, DSG/AUTOMATIC

For VAG DSG and automatic transmissions, with mount for screwing directly onto the 1-litre oil bottle – for controlled filling or refilling of DSG transmissions.



08475L 59,00 EUR*

SW STAHL MOUNTING LEVER DSG GEARBOX, VW

- for assembly and disassembly of mechatronics in 7-speed dual-clutch transmissions OAM/OCG/OCW.
- Used equivalent to OE number T10407.



26303L 16,20 EUR*

SW STAHL CLUTCH CENTRING TOOL SET, 2-PIECE

For perfect centring of the clutch disc in vehicles with centre pilot bearings (e.g. BMW, Mercedes-Benz, Nissan, Mazda)..

- 15 - 18 mm
- 20 - 26.6 mm



410150L 47,50 EUR*

SW STAHL CLUTCH CENTRING TOOL SET, 17-PIECE

Universal, for vehicles with centre pilot bearing.

- Centring bushings from 15.5 to 26.6 mm
- End bushings from 12.6 to 21.6 mm



410113 27,90 EUR*

SW STAHL SAC-CLUTCH TOOL SET, 32-PIECE

For damage-free and professional removal and installation of self-adjusting clutches with 3- or 4-hole pitch. Without this tool kit, correct installation and removal is nearly impossible!



410110L 355,50 EUR*

SW STAHL TOOL KIT FOR DOUBLE CLUTCH, VAG

For installing and removing dual clutches on VAG vehicles. Allows precise and fast work on the clutch unit in vehicles with 7-speed DSG transmissions.



26172L 235,50 EUR*

SW STAHL RATCHET-TYPE PIPE CUTTER, 28-64 MM

- For exhaust pipes from approx. 28 - 64 mm, also suitable for stainless steel
- Indispensable when installing particulate filters



10535L 106,50 EUR*

SW STAHL HOOK TOOL, 200 MM

for exhaust rubber rings.




10520L 11,80 EUR*

SW STAHL SPECIAL SOCKET, 1/2", 22 MM

Extra long version, slotted, for deep-seated lambda probes, suitable for:

- BMW, Ford, Mercedes-Benz, Opel, VAG etc.



26026L 18,90 EUR*

SW STAHL LAMBDA PROBE THREAD REPAIR SET, M18 X 1.5 MM, 8-PIECE

universal for all vehicles, comprising a lambda probe socket, HSS drill, inserting tool for the self-cutting repair inserts and 5 inserts.

- Internal thread M18 x 1.5 mm



26055L 70,90 EUR*

SW STAHL EXHAUST CHAIN PIPE CUTTER, STAINLESS STEEL, 35-85 MM

for stainless steel pipes 35 - 85 mm, easier work through automatic clamping device.



10540L 94,90 EUR*

SW STAHL EXTRACTION PLIER EXHAUST RUBBERS

For exhaust rubber mounts

- For easier dismantling of exhaust rubber
- 25° opening angle for sufficient space
- Length: 280 mm



26003L 17,20 EUR*

SW STAHL LAMBDA PROBE SOCKET SPANNER, FORD

spanner width 22 mm, length 110 mm.

- Chromium vanadium
- Graduated version

Especially for mounting lambda sensors with integrated heat protection, e.g. Ford.



26158L 17,70 EUR*

SW STAHL SPANNER SOCKETS, OPENED, 7-PIECE

A special range of open and closed deep spanner sockets for use with Lambda probes in all installation positions, thermal sizeitches for the Opel cooler unit fan as well as for Diesel injection nozzles without damaging the fuel return line.



26045L 53,00 EUR*

CHASSIS | AXLES



SW STAHL SILENT BEARING/ BALL JOINT TOOL SET, 56-PIECE

For pressing out and pressing in suspension joints or silent bearings with a 10 t hydraulic spindle and four different spindles including nuts in M10, M12, M14, M16, each 250 mm long. Also includes press frames and pressure pieces in various sizes, 44 pressure pieces 40 mm and 100 mm long with a diameter of (A/I) 26 x 18 mm to 68 x 60 mm.



302102L 1184,50 EUR*

SW STAHL SILENT BEARING/ BALL JOINT TOOL SET, 46-PIECE

For pressing out and pressing in suspension joints or silent bearings with 18.2 t hydraulic cylinder and press frame. Includes 44 pressure pieces with diameters from (A/I) 26 x 18 mm to 68 x 60 mm and lengths from 40 mm to 100 mm.



302100L 1184,50 EUR*

SW STAHL SAUER ALUMINIUM HYDRAULIC FOOT PUMP, 700 BAR

- Aluminium Hydraulikfußpumpe
- Inkl. Glycerin gefülltes Manometer
- Inkl. Hochdruck-Hydraulikschlauch mit Schnellkupplung, 2,50 Meter Länge
- Max. Druck: 700 bar



80210100 549,90 EUR*

SW STAHL BEARING AND BUSH REMOVAL/INSERTION SET, 32-PIECE

For the removal and insertion of suspension bushes, ball bearings, wheel bearings, rubber bearings, etc. to passenger cars and commercial vehicles. Also to be used for radial sealing rings.


- Four spindles in 350 mm length, M10, M12, M14 and M16
- Eight pressure nuts with bearing: M10, M12, M14, M16
- 20 pressure pieces with various dimensions, slotted for visual inspection



10043L 201,50 EUR*

SW STAHL SPINDLE, M12, 350 MM

- Incl. two nuts
- For bush removal set 10043L



10043L-2 11,80 EUR*

SW STAHL SPINDLE, M14, 350 MM

- Incl. two nuts
- For bush removal set 10043L



10043L-3 11,80 EUR*

SW STAHL SEPERATING FORK, FORK TYP 18 MM

For loosening tie rod ends, ball joints or steering column levers.



10101L 14,10 EUR*

SW STAHL SEPARATING FORK SET, 6-PIECE

with three different fork sizes, with adaptor for impact and pneumatic chisel hammer. Fork openings 18 mm - 25 mm - 28 mm, length of 70 mm.



10100L 24,50 EUR*

SW STAHL PRY BAR SET, 4-PIECE

Pry bar for all applications in the truck and agricultural vehicles sector. With plastic soft grip, single-piece blade and impact cap. Ideal for supporting joints, bearing and separating work. High-strength version.

- 900 mm straight
- 900 mm 45° angled
- 600 mm 75° angled
- 600 mm 90° angled



10104L 112,50 EUR*

SW STAHL SEPARATING LEVER SET, 4-PIECE

Separating lever for all applications in cars and trucks. With plastic handle and go through blade. Ideal for testing suspension joints or rubber bearings.

- 200 mm, 45° angled
- 300 mm, 45° angled
- 450 mm, 45° angled
- 600 mm, 45° angled



10105L 20,00 EUR*

SW STAHL SUSPENSION ARM LEVER

Facilitates the removal of wishbones from the wheel bearing housing. Also very useful when installing preloaded wishbones.



10048L 148,00 EUR*

SW STAHL VIBRO-CHISEL FOR VAG CLAMPING SCREW, 3-PIECE

for pushing out the safety screw on the upper wishbone on the wheel bearing housing strut. In conjunction with the vibro-pneumatic chisel the screw is pushed out through the aluminium axle shaft by means of vibration blows.



S3211-2 21,00 EUR*

SW STAHL BALL JOINT TOOL, 6-PIECE

For removing and installing the outer ball joints without dismantling the steering knuckle in Mercedes-Benz E / S / SL class (W220/W211/W230).



10009L 94,50 EUR*

SW STAHL BALL JOINT TOOL, MERCEDES-BENZ, 11-PIECE


for removing and installing the outer ball joints without dismantling the steering knuckle in Mercedes-Benz E / S / SL / M class (W220/W211/W230/W163/W164).



302402L 94,50 EUR*

SW STAHL DOUBLE SILENT BEARING TOOL, VAG

For changing the silent bearing (double bearing) in the aluminium engine mount.



302501L 296,00 EUR*

SW STAHL SAUER RUBBER BEARING TOOL VAG

For removing and installing the plastic/aluminium bearings (Ø 62 mm) on the front axle unit bracket console (the console does not need to be removed).



81110400 149,95 EUR*

SW STAHL WHEEL BEARING TOOL SET, VW, 16-PIECE

for damage-free removal and fitting of wheel bearing/hub units with 85 mm diameter for:

- VW T5, 2003-2015
- VW T6, 2015-
- VW Touareg, 2002-2013



301051L 308,90 EUR*

SW STAHL SILENT BEARING TOOL KIT FORD, MAZDA, VOLVO

to replace the silent bearing in the trailing arm:

- Rear axle trailing arm
- Connection between trailing arm and car body
- Silent bearing diameter 60 mm



302300L 272,50 EUR*

SW STAHL SILENT BEARING TOOL KIT BMW

To replace the silent bearings in the wheel bearing housing:

- Rear axle wheel bearing housing
- Connection between wheel bearing housing and trailing arm (slotted bearing, Ø 46 mm)
- Connection between wheel bearing housing and lower wishbone (jointed bearing, Ø 47mm)



302307L 136,00 EUR*

SW STAHL DRIVE SHAFT EXTRACTOR, 98-130 MM

to press out the drive shaft on 4, 5 and 6-hole rims.

- Bolt circle diameter 98 mm - 130 mm



302220L 296,00 EUR*

SW STAHL DRIVE SHAFT PULLING HAMMER

with universal clamping band for removing the drive shaft from the gearbox



302204L 153,90 EUR*

SW STAHL SILENT BEARING TOOL KIT FORD, VOLVO

to replace the rubber bearing in the trailing arm:

- Rear axle, trailing arm
- Connection between trailing arm and car body
- Rubber bearing with sheet metal joints
- Diameter 90 mm



302301L 248,50 EUR*

SW STAHL WHEEL BEARING TOOL SET, 17-PIECE

Wheel bearing tool for classic wheel bearings

- Spindle M22 x 295 mm incl. thrust bearing and pressure nut.
- 9 pressure discs with diameters from 55.5 up to 84 mm.
- 1 cup 83 mm inside diameter
- 1 cup 76 mm inside diameter
- Release bolts M12 and M14 x 1.5 mm



301030L 128,90 EUR*

SW STAHL SAUER TOOL KIT FOR DRIVE SHAFTS, 13-PIECE

This tool set is made to insert fixed or glued drive shafts into wheel hubs.

- Tension sleeves M16, M18, M20, M22, M24, M27, M30
- Tension bolts M14 and M16



80220600 169,90 EUR*

SW STAHL PNEUMATIC CV BOOT SPREADER, 25-110 MM

For changing universal and original boots - on the axle and transmission side - directly on the vehicle. Suitable for joints with a diameter of 25 - 110 mm



10003L 94,90 EUR*

SW STAHL WHEEL BEARING TOOL SET

For removing and installing classic wheel bearings on vehicles.

- Spindle diameter 20 mm
- 4 cups with inner diameters of 68 - 77 - 81 - 91 mm
- 9 pressure discs with diameters of 45.5 - 59.5 - 61.5 - 64.5 - 66.5 - 71.5 - 73.5 - 78.5 - 87.5 mm



302207L 296,00 EUR*

SW STAHL WHEEL BEARING TOOL SET, VAG, 16-PIECE

for the damage-free fitting and removal of bearings/hub units with a diameter of 72 mm
Includes spindle and pressure bearing for mechanical operation.



301050L 70,90 EUR*

SW STAHL UNIVERSAL CV BOOT SET, 4-PIECE

Universal, as a replacement for axle boots, stepped in three stages on the joint side, 60 - 75 - 88 mm diameter

- Diameter on the shaft side approx. 22.3 mm
- Maximum length of the axle boot approx. 120 mm
- With two fixing clamps for all standard axle shafts and articulations



10441L 17,80 EUR*

SW STAHL UNIVERSAL CV BOOT SET, 4-PIECE

Universal, as a replacement for axle boots, stepped in three stages on the joint side, 80 - 90 - 100 mm diameter

- Diameter on the shaft side approx. 29 mm
- Maximum length of the axle boot approx. 128 mm
- With two fixing clamps for all standard axle shafts and articulations



10440L 21,50 EUR*

SW STAHL CV BOOT PLIER, 3/8", 8-PIECE

- For mounting stainless steel tensioning straps with prescribed torque
- Straight clamping jaws for clamping and parallel pressing of the boot clamps
- 90° angled clamping jaws for **lateral** clamping and parallel pressing of the boot clamps
- Ideal for cramped spaces



61782L 59,00 EUR*

SW STAHL HOSE STRAP MOUNTING DEVICE

for endless hose bands - for clamping, tightening and cutting. Tightening either with the T-handle or 13 mm socket spanner.



61740L 38,90 EUR*

SW STAHL CV BOOT PLIER, FOR STEPLESS CLAMPS

For stepless and earless clamps, e.g. on VAG, BMW, Mercedes-Benz and Toyota vehicles.



41461L 18,90 EUR*

SW STAHL TIE ROD TOOL, 33 - 41 MM

Universal, for the fast and professional removal and fitting of hexagon steering tie rods with a diameter of 33 - 41 mm directly on the vehicle without removing the steering gear.



10117L 36,90 EUR*

SW STAHL TIE ROD TOOL SET, 3-PIECE

For the professional and fast replacement of tie rods on passenger cars and light trucks.


- For tie rod joints from 32 - 42 mm diameter



10116L 307,90 EUR*

SW STAHL STEERING WHEEL SPIRIT LEVEL, 400 MM

for the exact levelling of the steering wheel during axle alignment and work on the steering column.



09533L 39,90 EUR*

SW STAHL TIE ROD TOOL, 14 - 20 MM


For passenger cars, for loosening and turning tight tie rods with optimum force transmission. Suitable for tie rods with a diameter of 14-20 mm. The wide support surface prevents damage to the tie rod. Variable length from 100 to 260 mm.



10027L 71,00 EUR*

SW STAHL SPRING TENSIONER SET, 2-PIECE

for fitting and removing coil springs. Clamping range 360 mm



10255L 35,50 EUR*

SW STAHL SPRING TENSIONER SET, 3-PIECE

universal, makes one-hundred percent spring cover and thus maximum safety possible.

- Clamping range to 240 mm
- Max. Load: 1,0 t



10250L 82,90 EUR*

SW STAHL TELESCOPIC SPRING TENSIONER, VAG, 9-PIECE

For tensioning the suspension spring in the rear axle, especially for vehicles with very small access holes

- Two pairs of spring plates for springs with a diameter of 75-140 mm
- Span of 95-220 mm
- Clamping force max. 1,600 kg
- For particularly small access holes, min. 30 mm diameter
- No impact of the spindle on the chassis
- Remove the spring without disassembling the axle



10212L 280,00 EUR*

SW STAHL TELESCOPIC SPRING TENSIONER

for Mercedes-Benz vehicles of the series: 116 - 123 - 124 - 126 - 129 - 140 - 170 - 201 - 202 - 208 - 210.

The short design of the internal spring compressor allows for quick work even in confined spaces. The telescopic body can be continuously adjusted to the respective spring length. With two pairs of clamping lugs for spring diameters 80 - 119 mm and 89 - 141 mm



10210L 378,90 EUR*

SW STAHL SPRING TENSIONER SET, 1,800 KG, 5-PIECE

for fast and professional removal and installation of McPherson struts, with safety pin. The set includes the basic tool, two coated disc pairs with polyurethane safety insert and a safety rope.

- Maximum pressure: 1,800 kg
- Disc pair for spring diameter up to 120 mm
- Disc pair for spring diameter up to 200 mm



10207L 473,90 EUR*

SW STAHL **FLARING TOOL, MECHANICAL, 6-PIECE**

NEW PRODUCT

- Suitable for direct use on the vehicle
- For brake lines made of steel, aluminum, copper and brass with 4.75 mm (3/16"), as well as plastic-coated brake lines
- Suitable for single and double flares according to SAE and DIN standards
- Includes flaring grease

REGISTERED UTILITY MODEL PROTECTION



24532L 39,90 EUR*

SW STAHL **FLARING TOOL WITH HYDRAULIC SPINDLE, 16-PIECE**

NEW PRODUCT

Flaring Tool with Hydraulic Pressure Spindle – Pressing Force up to 2 t

- Suitable for direct use on the vehicle
- Spindle and pressure pieces with quick coupling for easy and fast tool changes
- For brake lines made of steel, aluminum, copper, and brass with 4.75 mm (3/16"), 5 mm, and 6 mm (1/4"), as well as plastic-coated brake lines
- Suitable for convex and double flares according to SAE and DIN standards
- Includes accessories:
 - Tube cutter (3–22 mm)
 - Internal deburrer
 - Tube bender



24531L 149,90 EUR*

SW STAHL **AXLE OIL PAN FOR TRUCKS**

Thanks to its special shape, the pan fits in almost every wheel on the drive axle. Ideal for collecting oil during the removal of drive axle shafts on trucks and larger vans. Clean work is improved by two handles at the edge and the spout. Temperature-resistant from -40° to +80°C.



10039L 17,70 EUR*

SW STAHL **SHOCK ABSORBER TOOL SET, 18-PIECE**

For professionally loosening and tightening the shock absorber nuts on the suspension strut bearing. Suitable for all common vehicles.

- Standard ratchet with 21 mm bi-hexagon socket, switchable
- 7 inner-hexagon bits for 21 mm socket 16 - 17 - 18 - 19 - 21 - 22 - 24
- 10 arrester inserts with 12.5 mm (1/2") socket:
- Inner-hexagon bits, long in 6 - 7 - 8 mm
- T50 (Opel Astra H)
- Special bits, oval in 5x8 - 6x8 - 71x9.6 mm e.g. (Porsche Cayenne S, VW Touareg)
- Hexagon bit, long in 7 mm (Mercedes-Benz Vaneo) - 8 mm for (BMW) - 9 mm (Opel Corsa B, Astra F/G, Vectra B)



10365L 118,50 EUR*

SW STAHL **AXLE NUT SOCKET, 80 MM X 65 MM, SCANIA**

for professional repairs on commercial vehicles.

- Special insert with 20 mm (3/4") drive
- 65 mm working depth



10068L 88,90 EUR*

SW STAHL **AXLE NUT SOCKET, 111 MM X 45 MM, BPW 12 T**

for professional repairs on commercial vehicles.

- Special insert with drive, wrench size 41 mm
- 45 mm working depth



10065L 118,50 EUR*

SW STAHL **AXLE NUT SOCKET, 3/4", SQUARE, 100 MM, SCANIA**

for professional repairs on commercial vehicles.

- Special insert with 20 mm (3/4") drive
- 65 mm working depth



10072L 79,50 EUR*

SW STAHL **AXLE NUT SOCKET, 3/4", OCTAGONAL, 115 MM, VOLVO**

for professional repairs on commercial vehicles.

- Special insert with 20 mm (3/4") drive
- 65 mm working depth



10071L 88,90 EUR*

SW STAHL **HOOK WRENCH, 3/4"**

Hook wrench with fixed guide tube ø 49.0 mm, extendable to ø 57.0 mm.

- No. of pins: 6
- Width of pins: 10 mm
- Inner ø pin: 87 mm
- Inner ø wrench: 80 mm
- Drive 20 mm (3/4") inner square



10332L 118,50 EUR*

SW STAHL **BRAKE PISTON REWINDING TOOL, 3-PIECE**

for WABCO and Knorr disc brakes on commercial vehicle axles from SAF and other manufacturers in confined conditions.



37500L 35,50 EUR*

SW STAHL **BRAKE CALIPER SPECIAL SOCKET, M9, SPLINED**

For SAF and Knorr brake calipers.



37002L 14,20 EUR*

SW STAHL **IMPACT SOCKET, 3/4", E24 X 110 MM**

for fitting wheel flange bolts M18 x 1.5 as well as for changing brake discs on trucks.



38000L 17,70 EUR*



BODYWORK



SW STAHL GLAZING-REMOVAL TOOL SET, ONE MAN OPERATION

for the glazing-removal of bonded front and rear panes without a second employee.

- Suction lift with return spring and receptacle for quick coupling
- Adaptor with quick coupling for cutting wire
- Quick coupling for cutting wire



40015L 189,50 EUR*

SW STAHL GLAZING REMOVAL TOOL SET, 7-PIECE

for removing glazing from glued window panes
Contents:

- Door trim lever
- Pane cutting blade
- Glazing removal blade with pulling cord
- Piercing awl
- Pair of handles for glazing removal wire
- One roll of wire



40002L 35,50 EUR*

SW STAHL SET OF PROTECTIVE COVERS, 4-PIECE

For covering the dashboard and trim when removing windshields.
Two covers each in sizes 450 x 300 mm and 270 x 200 mm



40019L 47,50 EUR*

SW STAHL CUTTING WIRE, DRILLED, 22,5 MM

twisted version, highly flexible for separating beads that are difficult to access.



400022L 7,90 EUR*

SW STAHL COATING THICKNESS GAUGE, NON-FERROUS METALS

For universal use for determining paint thickness on iron and NF metals, e.g. when detecting accident damage.

- Digital display with lighting
- Automatic switch-off
- Measuring frame „Strength“: 0 to 40 mils (0 to 1000 µm)



72375L 124,50 EUR*

SW STAHL WINDSCREEN STAND, 55 KG

for windshields and rear windows, side windows etc.


- 4 movable rubber suction cups with a diameter of 130 mm adapt to any window shape
- 55 kg load-bearing capacity
- Powder-coated tubular steel frame
- Can be folded away
- 1,150 mm long and max. 450 mm wide



20335L 82,90 EUR*

SW STAHL CUTTING WIRE, 50 M

Rust-free square glazing removal wire in top quality with certificate, strong cutting performance on glue beads that are easy to access.



400021L 23,50 EUR*

SW STAHL PAIR OF HANDLES FOR PANE WIRE

The cutting wire is clamped in the handle using a cone



40002L-3 12,50 EUR*

SW STAHL SINGLE HANDED MINI SUCTION LIFTER

Easy-to-use one-hand suction lifter, perfect for assembly and disassembly of mirror glasses and glued triangular windows.

- Practical one-hand operation by lever
- For lifting, carrying and holding
- Special plastic
- 8 kg load capacity
- Suction cup diameter: 72 mm



40018L 15,00 EUR*

SW STAHL DOUBLE SUCTION CUP, 42 KG

for the installation and removal of glued window panes or for the transport of other products.

Double suction cup:

- Max. lifting force approx. 85 kg
- Working load approx. 42 kg
- Cup diameter 120 mm
- Flexible cups



400000L 9,70 EUR*

SW STAHL VEHICLE WINDOW ASSEMBLY FRAME, 100 KG

for the quick and simple assembly and disassembly of larger vehicle windows.

- With 4 movable suction cups (ø 150 mm), warning in case of vacuum loss
- With 4 movable feet for convenient storage of the frame
- Load capacity 100 kg



40017L 296,00 EUR*

SW STAHL DOUBLE SUCTION CUP SET, 2-PIECE

for the installation and removal of glued window panes or for the transport of other products.

Double suction cup:

- Max. lifting force approx. 85 kg
- Working load approx. 42 kg
- Cup diameter 120 mm
- Flexible cups
- Clamping strap: 5 m x 24 mm



40000L 35,50 EUR*

SW STAHL WIPER ARM REMOVER SET, 8-PIECE

Enables the completely smooth removal of all standard wiper arms. Best used on corroded and stuck wiper arms. Maximum protection for integrated wiper nozzles thanks to slide hammer technology.



10122L 118,50 EUR*

SW STAHL WIPER ARM REMOVER, VAG, 30-60 MM

especially for VAG rear wipers.
■ Opening 30 - 60 mm



10127L 24,00 EUR*

SW STAHL WIPER ARM REMOVER, 16-41 MM

Reliably prevents damage to the body and to the windscreen wiper arm.

- 85 mm height
- Span width 16 - 41 mm
- Internal dimension: 14.5 mm



10120L 35,50 EUR*

SW STAHL TRIM WEDGES, 3-PIECE

Made of high-strength special plastic. For work on decorative trim, rubber seals, dashboard, door trim, switches.



94800L 34,50 EUR*

SW STAHL MOUNTING WEDGE SET, 5-PIECE

Made of high-strength special plastic, 160-200 mm long.



94890L 11,90 EUR*

SW STAHL WIPER ARM REMOVER, UNIVERSAL

for universal use, extra compact and light version with narrow base for cramped conditions.



10126L 10,30 EUR*

SW STAHL AIRBAG TOOL SET, 10-PIECE

for removing the airbag units on VAG, BMW etc.



04403L 42,50 EUR*

SW STAHL MOUNTING WEDGE SET, 11-PIECE

Made of glass fibre reinforced plastic. For damage-free installation and removal of trim parts, plastic clips, rear-view mirror glasses, etc., even in hard-to-reach places



94807L 15,80 EUR*

SW STAHL CLIP REMOVER SET, 5-PIECE

INOX - stainless steel with 2-component plastic handles.

- U-shape lever (inner 8.2 mm / outer 31.5 mm)
- V-shape lever 38 mm (inner 4-12.5 mm / outer 31.5 mm)
- U-shape lever (inner 6.15 mm / outer 12.8 mm)
- V-shape lever 13 mm (inner 1-4.4 mm / outer 12.8 mm)
- U-shape lever 38 mm, extra long curved (inner 8.4 mm / outer 31.4 mm)



94845L 23,50 EUR*

SW STAHL HOT STAPLER PLASTIC REPAIR KIT

for repairing cracks or similar damage to plastic parts such as bumpers, covers, panels, etc. (from 1 mm thickness). The heating element holder is suitable for different repair clips.



23060L 177,50 EUR*

SW STAHL MOUNTING KIT FOR PARKING SENSORS, 18-PIECE

For replacing defective brackets for parking sensors or punching holes in unprepared plastic bumpers.

- Punches diameters 18.2 mm, 18.6 mm and 26.0 mm
- 2 fixing pins
- The set is optimized for VW, Audi, Seat and Skoda vehicles.



23070L 414,50 EUR*

SW STAHL MOUNTING CLIP ASSORTMENT, UNIVERSAL, 192-PIECE

The set includes many clips for fastening protective strips, decorative strips, covers, etc.



S8033 19,50 EUR*

SW STAHL CABLE TIE SET, 1,200-PIECE

- 2.5 x 100 mm, 100 each in red, yellow, blue, green and white
- 3.6 x 150 mm, 100 each in black and white
- 4.8 x 200 mm, 100 each in red, yellow, blue, green and white



S8036 17,70 EUR*

SW STAHL REPAIR STAPLES, W-SHAPE, 100 PIECES

Wire diameter 0.8 mm



23060L-2 13,20 EUR*

SW STAHL REPAIR STAPLES, U-SHAPE, 100 PIECES

Wire diameter 0.8 mm



23060L-1 19,30 EUR*

SW STAHL DOOR EXPANDER PAD

The vehicle door can be opened a slight gap without damaging the paintwork or chassis in order to insert the door opener, which is usually made of metal. Also suitable for making it easier to remove windows.



S3544 10,60 EUR*

SW STAHL ASSORTMENT OF EXPANDER PADS, 5-PIECE

Dimensions:

- Square 160 x 160 mm
- Rectangular 185 x 60 mm
- Rectangular with rounding 185 x 43 mm
- Kidney-shaped 320 x 115 mm
- Air pump with 450 mm hose



S3547 57,00 EUR*

SW UNLOCKING TOOL, VW

for quick and easy removal of roof grab handles on vehicles of the VAG Group. Used equivalent to OE numbers T10517, T10518, T10518A.



94811L 16,50 EUR*

SW DOOR TRIM REMOVER

For universal use for door trims and mounting clips



94805L 8,20 EUR*

SW DOOR TRIM REMOVAL SET, UNIVERSAL

For fast, easy removal of interior trims.

- Universal use through 3 different sizes 4, 8 and 10 mm
- Two different lengths 235 mm and 495 mm
- angled 15 degrees



94885L 23,50 EUR*

SW DOOR HANDLE DISMANTLING TOOL, VW/AUDI

for fast and simple release of the inaccessible locking hook when removing door handles without a locking cylinder.


Used equivalent to OE number T10539.



04411SB 17,80 EUR*

SW TELESCOPIC SUPPORT FOR BONNET, 540-1200 MM

Can be adjusted in any position by turning the telescopic element. With rubber bases at both ends for a firm, non-slip hold



20505L 11,80 EUR*

SW HOG RING PLIER SET, WITH 100 CLAMPS


For professional attachment of the seat cover to the upholstery, e.g. when replacing the seat cover or cushion, the airbag sensor mat (passenger seat) or the seat heating mat.



94808L 47,50 EUR*

SW UPHOLSTERY STAPLES, 100 PIECES

Component and accessory of 94808L.



94808L-1 15,30 EUR*

SW MOUNTING CLIP ASSORTMENT, TESLA, 150-PIECE

The set includes many clips for fastening protective strips, decorative strips, covers, etc.




S8014 17,70 EUR*

SW BODY ALIGNMENT SET, 4 T

hydraulic for the spreading, pressing, clamping of body parts, 4 t compression force, in metal box. The comprehensive accessories are simply pushed in place.

- Hydraulic cylinder with hand pump
- 1.6 m pressure hose
- Extensions from 5 - 50 cm
- differently shaped fittings



23040L 153,90 EUR*

SW DENT REMOVAL SET, 10-PIECE

- Multi-grip with quick-action coupling for changing the sockets
- 9 different profiles (round, pointed & flat)
- Impact tips hardened



23020L 82,90 EUR*

SW SPECIAL ADHESIVE STICKS, 10 PIECES

- for universal use on glass, plastic, leather, metal, PVC etc.
- outstanding adhesive properties on body panels e.g. for sticking dent removal pads in place
- extra-long 300 mm



23038L 12,20 EUR*

SW BODY FILLER SPREADER, METAL, 4-PIECE

Sizes:

- 50 mm
- 80 mm
- 100 mm
- 120 mm



91301L 3,00 EUR*

SW BODY FILLER SPREADER, PLASTIC, 4-PIECE

Sizes:

- 50 mm
- 80 mm
- 100 mm
- 120 mm



91302L 2,30 EUR*

SW OVERVOLTAGE PROTECTION, 12 V

prevents dangerous overvoltage during welding work.

- Maximum load 200 A
- Copper cable and steel clamps with rubber protection
- Length of the cable: 195 mm
- For 12 V systems



32250L 85,90 EUR*

SW MINI GAS BURNER, UP TO 1300°C

Ideal for fast heating, for heat-shrinking, soldering, etc..

- Adjustable flame
- Piezo ignition
- On/off switch (with locking function)
- Working temperature 800°C



62065L 11,80 EUR*

SW STAHL ELECTRO SOLDERING GUN

with Euro-plug and work light, 100 Watt, 230V.



62000SB 20,00 EUR*

SW STAHL SOLDERING IRON, 3 MM SHAFT

- for battery-operated use
- Ready for use in only about 15 seconds
- For the fast and mobile repair of cold solder spots etc.
- 4.5 V / 6 W
- Diameter shaft 3 mm / tip 0.7 mm.



61805SB 17,70 EUR*

SW STAHL SOLDERING GREASE, 50G, ACCORDING TO DIN EN29454-1

- For soft soldering and tin-plating
- According to DIN EN 29454-1



62050L 4,60 EUR*

SW STAHL SOLDERING WIRE, 40% SN, 100 G COIL

- HS10 on coil, 2 mm diameter
- 40 % SN, 60 % PB
- Flux-cored



62010L 11,80 EUR*

SW STAHL SOLDERING WIRE, 40% SN, 250 G COIL

- HS10 on coil, 2 mm diameter
- 40 % SN, 60 % PB
- Flux-cored



62011L 23,50 EUR*

SW STAHL SOLDERING WIRE, 40% SN, 500 G COIL


- HS10 on coil, 2 mm diameter
- 40 % SN, 60 % PB
- Flux-cored



62012L 47,50 EUR*

SW STAHL SOLDERING TIN, 40% SN, 1,000 G


- In triangular rods
- 11 x 11 x 11 mm
- according to DIN EN 29453



62030L 53,00 EUR*

SW STAHL SOLDERING TIN, 25% SN, 1,000 G

- In triangular rods
- 11 x 11 x 11 mm
- according to DIN EN 29453



62035L 50,90 EUR*

SW STAHL RIVET PLIER, 500 MM

for aluminium and steel rivets and rivet nuts, with many accessories, an absolute must for working on riveted window lifters.



42760L 106,50 EUR*

SW STAHL HOLE AND EDGE SETTER, 5 MM

with rotatable head, for setting metal edges and punching holes in metal sheets for spot welding.

- Hole diameter: 5 mm
- Setting depth: 13 mm
- Jaw width: 22 mm
- Max. sheet thickness: 1 mm



93000L 73,50 EUR*

SW STAHL PNEUMATIC BODYWORK JIGSAW, 235 MM

for use with jigsaw blades for sawing various materials such as metal, plastic, rubber and wood.

- Stroke frequency: 9,000 rev./min
- Construction length: 235 mm
- Weight: 770 g
- Max. cutting output: 1.2 mm



40008L 106,50 EUR*

SW STAHL SAW BLADE FOR BODYWORK, 24 TEETH, 1 PIECE

For use with pneumatic chassis jigsaws

- Bi-metal



70624L 1,80 EUR*

SW STAHL BLIND RIVET PLIERS, ROTATING HEAD, 250 MM

With 360° rotatable head, for aluminium rivets, with 4 interchangeable rivet heads.

- 2.4 - 3.0 - 4.0 - 4.8 mm



42750L 15,10 EUR*

SW STAHL ENDOSCOPE, WITH SWIVELLING PROBE, 3.9 MM

Technical Specifications:

- Camera lens Ø 3.9mm
- Probe length 1.5m
- Probe bending angle 210°
- Camera field of view 80°
- Light source: 6 LEDs in the
- Screen size: 4.3"
- Battery type: 2600mAh Li-ion battery
- Operating temperature: -10°C to +70°C



32285L 411,90 EUR*

TB8000

THE EXTRA CLASS WORKSTATION



HERE IS WHERE
YOUR TOOLS BELONG



NEW
PRODUCT

SW STAHL PNEUMATIC SPRING COMPRESSOR, 2.400 KG

Pneumatic High-Performance Strut Spring Compressor for Passenger Cars and SUVs

- Suitable for all vehicle types, from compact cars to vans
- Maximum distance between spring holders: up to 420 mm
- Adjustable arms conform precisely to the spring geometry, ensuring perfectly vertical pressure
- Clamping arms automatically lock under load
- Safety cage with snap lock and automatic opening ensures safe and convenient operation
- Pneumatically controlled forward and return motion via foot pedal
- Up to 2,400 kg of clamping force from two cylinders with 150 mm diameter each
- Sturdy frame with rubberized feet for a stable stand
- Easy to handle thanks to integrated rear rollers
- Convenient storage tray on top of the unit
- Two spring plates for right-wound springs (for springs with $\varnothing 78$ – $\varnothing 130$ mm and $\varnothing 105$ – $\varnothing 187$ mm)
- Strut holder included
- Includes DN 7.2 pneumatic quick coupling

Technical Specifications

- Stroke: 420 mm
- Cylinder diameter: $\varnothing 150$ mm
- Operating pressure: 6–9 bar
- Clamping force at 6 bar: 1.470 kg
- Clamping force at 9 bar: 2.400 kg
- Spring diameter: 78–187 mm
- Connection: DN 7.2 pneumatic quick coupling



10228L

1399,90 EUR*

ART.:SPEZIAL2601-EN